

# Active Recombinant Human CD80, Fc-tagged, Biotinylated

Cat. No. CD80-582H    Lot. No. (See product label)

## SPECIFICATION

<b>Product Overview</b>	The recombinant human CD80-Fc fusion protein is expressed as a 437 amino acid protein consisting of Val35 - Asn242 region of CD80 (UniProt accession #P33681) and a C-terminal Fc fusion from human IgG1, which exists as a dimer under non-reducing condition.
<b>Species</b>	Human
<b>Source</b>	Human Cells
<b>ProteinLength</b>	35-242 a.a.
<b>Form</b>	Supplied at 0.5 mg/ml in sterile PBS pH7.4 (carrier free & preservative free). The purified recombinant protein was labeled with Biotin (3-5 Biotin per molecule).
<b>Bio-activity</b>	Binds to human CD28, CTLA4 and PD-L1 by ELISA using immobilized CD80 protein. Binds to human and mouse PD-L1 in a functional ELISA. Induces IL-2 secretion by Jurkat human acute T cell leukemia cells with an ED50 of 0.05 - 0.2 µg/mL in the presence of PHA.
<b>Molecular Mass</b>	Calculated molecular mass 49.5 kDa; estimated by SDS-PAGE under reducing condition 70-75 kDa probably due to glycosylation.
<b>AA Sequence</b>	VIHVTKEVKEVATLSCGHNVSVEELAQTRIWQKEKKMVLTMMSGDMNIWPEYKNR TIFDITNNLSIVILALRP SDEGTYECVVLKYEKDAFKREHLAEVTL SVKADFPTPSISDF EIPTSNIRRIICSTSGGFPEPHLSWLENGEEL NAINTTVSQDPETELYAVSSKLDLFNM

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

TTNHSFMCLIKYGHLRVNQTFNWNTTKQEHPDNGSTGTHTCPPCPAP ELLGGPS  
VFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ  
YNSTYRVVSVL TVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLF  
PSREEMTKNQVSLTCLVKGFYPSDIAVE WESNGQPENNYKTTTPVLDSGDSFFLYS  
KLTVDKSRWQQGNVFCFSVMHEALHNHYTQKSLSLSPGK

**Endotoxin** <0.1 eu per 1 µg of purified recombinant protein determined by the

**Purity** >95% judged by SDS-PAGE under reducing condition

**Storage** The product is shipped at 4°C. Upon receipt, centrifuge the product briefly before opening the vial. It is recommended to store small aliquots at the temperature below -20°C for long-term storage and the product is stable for 3 months. The undiluted protein can be stored at 4°C for no more than 2 weeks. Avoid repeated freeze-thaw cycles.

**Conjugation** Biotin

## GENE INFORMATION

**Gene Name** CD80 CD80 molecule [ [Homo sapiens](#) ]

**Official Symbol** CD80

**Synonyms** CD80; CD80 molecule; CD28LG, CD28LG1, CD80 antigen (CD28 antigen ligand 1, B7 1 antigen) , CD80 molecule; T-lymphocyte activation antigen CD80; B lymphocyte activation antigen B7; B7 1; B7.1; activation B7-1 antigen; costimulatory factor CD80; CTLA-4 counter-receptor B7.1; B-lymphocyte activation antigen B7; costimulatory molecule variant IgV-CD80; CD80 antigen (CD28 antigen ligand 1, B7-1 antigen); B7; BB1; B7-1; LAB7; CD28LG; CD28LG1;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Gene ID</b>	941
<b>mRNA Refseq</b>	NM_005191
<b>Protein Refseq</b>	NP_005182
<b>MIM</b>	112203
<b>UniProt ID</b>	P33681
<b>Chromosome Location</b>	3q13.3-q21
<b>Pathway</b>	Adaptive Immune System, organism-specific biosystem; Allograft rejection, organism-specific biosystem; Allograft rejection, conserved biosystem; Autoimmune thyroid disease, organism-specific biosystem; Autoimmune thyroid disease, conserved biosystem; CD28 co-stimulation, organism-specific biosystem; CD28 dependent PI3K/Akt signaling, organism-specific biosystem;
<b>Function</b>	coreceptor activity; protein binding; receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA