

Recombinant Human CD93 Protein, His-tagged

Cat. No. CD93-110H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant human CD93 protein with His tag was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	652
Description	The protein encoded by this gene is a cell-surface glycoprotein and type I membrane protein that was originally identified as a myeloid cell-specific marker. The encoded protein was once thought to be a receptor for C1q, but now is thought to instead be involved in intercellular adhesion and in the clearance of apoptotic cells. The intracellular cytoplasmic tail of this protein has been found to interact with moesin, a protein known to play a role in linking transmembrane proteins to the cytoskeleton and in the remodelling of the cytoskeleton.
Form	Lyophilized
Molecular Mass	59 kDa
AA Sequence	MATSMGLLLLLLLLLLTQPGAGTGADTEAVVCGVTACYTAHSGKLSAAEAQNHCNQN GGNLATVKSKEEAQHVRVLAQLLRREAALTARMSKFWIGLQREK GKCLDPSLPLK GFSWVGGGEDTPYSNWHKELRNSCISKRCVSLLLDLSQPLLPSRLPKWSEGPCGS PGSPGSNIEGFVCKFSFKGMC RPLALGGPGQVTTYTPFQTTSSSLEAVPFASAANV ACGEGDKDETQSHYFLCKEKAPDVFDWGSSGPLCVSPKYGCNFNNGGCHQDCFE

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



GGDGSFLCGCRPGFRLLDDLVTCASRNPCSSSSPCRGGATCVLGPHGKNYTCRCPQ
GYQLDSSQLDCVDVDECQDSPCAQECVNTPGGFRCECWVGYEPGGPGEGACQD
VDECALGRSPCAQGGCTNTDGSFHCSCEEGYVLAGEDGTQCQDVDECVGPGGPLC
DSLFCNTQGSFHCGCLPGWVLAPNGVSCTMGPVSLGPPSGPPDEEDKGEKEGST
VPRAATASPTRGPEGTPKATPTTSRPSLSSDAPITSAPLKMLAPSGSPGVWREPSIH
HATAASGPQEPAGGDSSVATQNNDDGTGQKLLLFYILGTVVAILLLLALALGLLVYRK
RRAKREEKKEKKPQNAADSYSWVPERAESRAMENQYSPTPGTDC

Purity > 98%

Applications WB; ELISA; FACS; FC

Stability This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.

Storage At -20 centigrade.

Concentration 1 mg/mL

Storage Buffer PBS (pH 7.4-7.5). Sterile-filtered colorless solution.

Reconstitution Reconstitute in sterile distilled H₂O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.

GENE INFORMATION

Gene Name CD93 CD93 molecule [Homo sapiens (human)]

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA

Official Symbol	CD93
Synonyms	CD93; CD93 molecule; C1QR1, CD93 antigen , complement component 1, q subcomponent, receptor 1 , matrix remodelling associated 4 , MXRA4; complement component C1q receptor; C1qR(P); C1qRP; CDw93; dJ737E23.1; ECSM3; C1qR; CD93 antigen; C1q receptor 1; C1q/MBL/SPA receptor; matrix-remodelling associated 4; matrix-remodeling-associated protein 4; complement component 1 q subcomponent receptor 1; complement component 1, q subcomponent, receptor 1; C1QR1; MXRA4;
Gene ID	22918
mRNA Refseq	NM_012072
Protein Refseq	NP_036204
MIM	120577
UniProt ID	Q9NPY3

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA