

## Active Recombinant Human CD99, Fc-tagged

**Cat. No.** CD99-590H    **Lot. No.** (See product label)

### SPECIFICATION

<b>Product Overview</b>	The recombinant human CD99-Fc is expressed as a 329 amino acid protein consisting of Asp23 - Ala123 region of CD99 (UniProt #P14209 - isoform 1) and a C-terminal Fc fusion from human IgG1, which exists as a dimer under non-reducing condition.
<b>Species</b>	Human
<b>Source</b>	Human Cells
<b>ProteinLength</b>	23-123 a.a.
<b>Form</b>	Supplied at 0.5 mg/ml in sterile PBS pH7.4 (carrier & preservative free).
<b>Bio-activity</b>	Immobilized CD99-Fc protein supports homophillic interaction with CD99 itself (e.g., via biotinylated CD99 protein) by a functional ELISA.
<b>Molecular Mass</b>	Calculated molecular mass (kDa): 35.7; Estimated by SDS-PAGE under reducing condition (kDa): 50-55
<b>AA Sequence</b>	DGGFDLSDALPDNENKKPTAIPKKPSAGDDDFDLGDAVVDGENDDPRPPNPPKPMP NPNPNHPSSSGSFSDADLA DGVSGGEGKGGSDGGGSHRKEGEEADASTGHTTCP PCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDV SHEDPEVKFNWYVDGVE VHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAK GQPREPQVYTLPPSREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTPP VLDSGDGFFLYSKLTVDK SRWQQGNVFSCSVMHEALHNHYTQKLSLSLSPGK

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Endotoxin</b>	<0.1 eu per 1 µg of purified recombinant protein determined by the
<b>Purity</b>	>95% judged by SDS-PAGE under reducing condition
<b>Storage</b>	The product is shipped at 4°C. Upon receipt, centrifuge the product briefly before opening the vial. It is recommended to store small aliquots at the temperature below -20°C for long-term storage and the product is stable for 3 months. The undiluted protein can be stored at 4°C for no more than 2 weeks. Avoid repeated freeze-thaw cycles.

## GENE INFORMATION

<b>Gene Name</b>	CD99 CD99 molecule [ Homo sapiens ]
<b>Official Symbol</b>	CD99
<b>Synonyms</b>	CD99; CD99 molecule; antigen identified by monoclonal antibodies 12E7, F21 and O13 , CD99 antigen , MIC2; CD99 antigen; E2 antigen; surface antigen MIC2; T-cell surface glycoprotein E2; MIC2 (monoclonal 12E7); antigen identified by monoclonal 12E7, Y homolog; antigen identified by monoclonal antibodies 12E7, F21 and O13; MIC2; HBA71; MIC2X; MIC2Y; MSK5X;
<b>Gene ID</b>	4267
<b>mRNA Refseq</b>	NM_001122898
<b>Protein Refseq</b>	NP_001116370
<b>MIM</b>	313470
<b>UniProt ID</b>	P14209

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Chromosome  
Location**

Xp22.32 and Yp11.3

**Pathway**

Cell adhesion molecules (CAMs), organism-specific biosystem; Cell adhesion molecules (CAMs), conserved biosystem; Leukocyte transendothelial migration, organism-specific biosystem; Leukocyte transendothelial migration, conserved biosystem;

 Tel: 1-631-559-9269 1-516-512-3133 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA