

## Recombinant Human CD-146

Cat. No. CDA095P Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Human CD-146 protein 433-647 a.a. expressed in E.coli,47 kDa.
<b>Species</b>	Human
<b>Source</b>	E.coli
<b>ProteinLength</b>	433-647 a.a.
<b>Description</b>	CD146 belongs to the immunoglobulin supergene family with five immunoglobulin like domains (V-V-C2-C2-C2), a transmembrane region and a 63 residue cytoplasmic tail. The protein is a membrane glycoprotein that functions as a Ca <sup>2+</sup> independent cell adhesion molecule involved in heterophilic cell to cell interactions. CD146 has a molecular size of 130 kDa in its reduced form (118 kDa unreduced), and N linked glycosylation accounts for fifty percent of the apparent molecular weight. In some cells the molecule carries a sulfate 3 glucuronyl moiety.
<b>Presentation</b>	Recombinant Human CD-146 protein at 100g/ml in 50mM Tris-Acetate, pH7.5, 1mM EDTA and 20% Glycerol.
<b>Applications</b>	•ELISA•Inhibition Assays •Western Blotting
<b>Characterization</b>	On SDS-PAGE commassie blue stained gel, the purified recombinant protein shows a band at 47 kDa.
<b>Storage</b>	Store vial at -20°Cto -80°C. When stored at the recommended temperature, this

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

protein is stable for 12 months.

## GENE INFORMATION

### Synonyms

MCAM; CD146; Gicerin; MUC18; CD146 antigen; Cell surface glycoprotein P1H12; Melanoma-associated antigen A32; Melanoma-associated antigen MUC18; S-endo 1 endothelial-associated antigen; melanoma adhesion molecule; melanoma cell adhesion molecule.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA