

Recombinant Human CDC42BPB cell lysate

Cat. No. CDC42BPB-569HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human CDC42BPB derived in Baculovirus-Insect cells. The whole cell lysate is provided in 1X Sample Buffer. Browse all transfected cell lysate positive controls
Species	Human
Source	Insect Cells
Preparation method	Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer with cocktail of protease inhibitors. Cell debris was removed by centrifugation and then centrifuged to clarify the lysate. The cell lysate was boiled for 5 minutes in 1 x SDS sample buffer (50 mM Tris-HCl pH 6.8, 12.5% glycerol, 1% sodium dodecylsulfate, 0.01% bromophenol blue) containing 5% b-mercaptoethanol, and lyophilized.
Lysis buffer	Modified RIPA Lysis Buffer: 50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF
Quality control Testing	12.5% SDS-PAGE Stained with Coomassie Blue
Recommended Usage	1. Centrifuge the tube for a few seconds and ensure the pellet at the bottom of the tube. 2. Re-dissolve the pellet using 200µL pure water and boiled for 2-5 min. 3. Store it at -80°C. Recommend to aliquot the cell lysate into smaller quantities for optimal storage. Avoid repeated freeze-thaw cycles. Notes: The lysate is ready to load on SDS-PAGE for Western blot application. If dissociating conditions are required, add

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

reducing agent prior to heating.

Stability

Samples are stable for up to twelve months from date of receipt at -80°C

Storage Buffer

50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF

Storage Instruction

Lysate samples are stable for 12 months from date of receipt when stored at -80°C. Avoid repeated freeze-thaw cycles. Prior to SDS-PAGE fractionation, boil the lysate for 5 minutes.

GENE INFORMATION

Gene Name

[CDC42BPB](#) CDC42 binding protein kinase beta (DMPK-like) [Homo sapiens]

Official Symbol

CDC42BPB

Synonyms

CDC42BPB; CDC42 binding protein kinase beta (DMPK-like); CDC42 binding protein kinase beta (DMPK like); serine/threonine-protein kinase MRCK beta; KIAA1124; MRCKB; MRCK beta; CDC42BP-beta; DMPK-like beta; myotonic dystrophy protein kinase-like beta; CDC42-binding protein kinase beta (DMPK-like); myotonic dystrophy kinase-related CDC42-binding kinase beta; FLJ37601; FLJ44730; DKFZp686H1431;

Gene ID

[9578](#)

mRNA Refseq

[NM_006035](#)

Protein Refseq

[NP_006026](#)

MIM

[614062](#)


 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



UniProt ID	Q9Y5S2
Chromosome Location	14q32.32
Function	ATP binding; ATP binding; Rho GTPase binding; magnesium ion binding; metal ion binding; nucleotide binding; protein kinase activity; protein serine/threonine kinase activity; protein serine/threonine kinase activity; small GTPase regulator activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA