

Recombinant Human CDIPT 293 Cell Lysate

Cat. No. CDIPT-7634HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for CDP-diacylglycerol--inositol 3-phosphatidyltransferase (phosphatidylinositol synthase) (CDIPT) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	CDIPT CDP-diacylglycerol--inositol 3-phosphatidyltransferase [Homo sapiens]
Official Symbol	CDIPT
Synonyms	CDIPT; CDP-diacylglycerol--inositol 3-phosphatidyltransferase; CDP diacylglycerol inositol 3 phosphatidyltransferase (phosphatidylinositol synthase); phosphatidylinositol synthase; PIS; PIS1; PI synthase; PtdIns synthase; MGC1328;
Gene ID	10423
mRNA Refseq	NM_006319
Protein Refseq	NP_006310
MIM	605893
UniProt ID	O14735
Chromosome Location	16p12.1
Pathway	3-phosphoinositide biosynthesis, organism-specific biosystem; 3-phosphoinositide biosynthesis, conserved biosystem; D-myo-inositol (1,4,5)-trisphosphate biosynthesis, organism-specific biosystem; D-myo-inositol (1,4,5)-trisphosphate biosynthesis, conserved biosystem; Glycerophospholipid metabolism, organism-specific biosystem; Glycerophospholipid metabolism, conserved biosystem; Inositol phosphate metabolism, organism-specific biosystem;

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA



Function

CDP-diacylglycerol-inositol 3-phosphatidyltransferase activity; alcohol binding; diacylglycerol binding; manganese ion binding; phosphotransferase activity, for other substituted phosphate groups; sugar binding; transferase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA