

Recombinant Human CDKN1B 293 Cell Lysate

Cat. No. CDKN1B-7617HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for cyclin-dependent kinase inhibitor 1B (p27, Kip1) (CDKN1B) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	CDKN1B cyclin-dependent kinase inhibitor 1B (p27, Kip1) [Homo sapiens]
Official Symbol	CDKN1B
Synonyms	CDKN1B; cyclin-dependent kinase inhibitor 1B (p27, Kip1); cyclin-dependent kinase inhibitor 1B; KIP1; P27KIP1; MEN4; CDKN4; MEN1B;
Gene ID	1027
mRNA Refseq	NM_004064
Protein Refseq	NP_004055
MIM	600778
UniProt ID	P46527
Chromosome Location	12p13.1-p12
Pathway	AKT phosphorylates targets in the cytosol, organism-specific biosystem; Adaptive Immune System, organism-specific biosystem; C-MYB transcription factor network, organism-specific biosystem; Cell Cycle, organism-specific biosystem; Cell Cycle Checkpoints, organism-specific biosystem; Cell Cycle, Mitotic, organism-specific biosystem; Cell cycle, organism-specific biosystem;
Function	cyclin-dependent protein kinase activity; cyclin-dependent protein kinase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



cyclin-dependent protein kinase inhibitor activity; contributes_to cysteine-type endopeptidase activator activity involved in apoptotic process; kinase activity; protein binding; protein kinase inhibitor activity; protein phosphatase binding; transforming growth factor beta receptor, cytoplasmic mediator activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA