

Recombinant Human CDKN2C Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. CDKN2C-4708H **Lot. No.** (See product label)

SPECIFICATION

Product Overview

CDKN2C MS Standard C13 and N15-labeled recombinant protein (NP_001253) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.

Species

Human

Source

HEK293

Description

The protein encoded by this gene is a member of the INK4 family of cyclin-dependent kinase inhibitors. This protein has been shown to interact with CDK4 or CDK6, and prevent the activation of the CDK kinases, thus function as a cell growth regulator that controls cell cycle G1 progression. Ectopic expression of this gene was shown to suppress the growth of human cells in a manner that appears to correlate with the presence of a wild-type RB1 function. Studies in the knockout mice suggested the roles of this gene in regulating spermatogenesis, as well as in suppressing tumorigenesis. Two alternatively spliced transcript variants of this gene, which encode an identical protein, have been reported.

Molecular Mass

17.9 kDa

AA Sequence

MAEPWGNELASAAARGDLEQLTSLQNNVNVNAQNGFGRTALQVMKLGNPFIARR
 LLLRGANPDLKDRTGFAVIHDAARAGFLDTLQTLLEFQADVNIEDNEGNLPLHLAAKE
 GHLRVVEFLVKHTASNVGHRNHKGDTACDLARLYGRNEVVSLMQANGAGGATNLQ
 TRTRPLEQKLISEEDLAANDILDYKDDDDKV

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining
Stability	Stable for 3 months from receipt of products under proper storage and handling conditions.
Storage	Store at -80 centigrade. Avoid repeated freeze-thaw cycles.
Concentration	50 µg/mL as determined by BCA
Storage Buffer	100 mM glycine, 25 mM Tris-HCl, pH 7.3.

GENE INFORMATION


Gene Name	CDKN2C cyclin dependent kinase inhibitor 2C [Homo sapiens (human)]
Official Symbol	CDKN2C
Synonyms	CDKN2C; cyclin-dependent kinase inhibitor 2C (p18, inhibits CDK4); cyclin-dependent kinase 4 inhibitor C; INK4C; p18; p18-INK6; CDK6 inhibitor p18; cyclin-dependent inhibitor; cyclin-dependent kinase 6 inhibitor p18; p18-INK4C;
Gene ID	1031
mRNA Refseq	NM_001262
Protein Refseq	NP_001253
MIM	603369
UniProt ID	P42773

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SDS-PAGE



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA