

## Recombinant Human CER1, His-tagged

Cat. No. CER1-7775H Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Human Cerberus 1/CER1 is produced with our mammalian cells expression system in HEK293. The target protein is expressed with sequence (Met1Ala267) of Human CER1 fused with a polyhistidine tag at the Cterminus.
<b>Species</b>	Human
<b>Source</b>	HEK293
<b>Description</b>	Cerberus 1 is a secreted glycoprotein that forms disulfidelinked homodimers. It is a cytokine member of the DAN domain family of BMP antagonists that includes DAN (DAND1), Gremlin/Drm (DAND2), PRDC (Protein Related to Dan and Cerberus, DAND3), and COCO/Dante (DAND5). DAN family members contain a cysteine knot domain that is homologous to that found in other TGFbeta superfamily ligands. At the onset of gastrulation, Cerberus 1 is transiently expressed in anterior endodermal structures in response to Nodal and Shh. Cerberus 1 binds BMP4 and Nodal and inhibits their activities. The inhibitory functions of Cerberus favor mesodermal development in the anterior region of the gastrula and suppresses posterior mesodermal differentiation. In chick and Xenopus, Cerberus 1 also regulates, but is not required for embryonic leftright polarization, neurulation, and head and heart induction.
<b>Form</b>	Lyophilized from a 0.2 μM filtered solution of 20mM Hac
<b>AA Sequence</b>	TRHQDGRQNQ SSLSPVLLPR NQRELPTGNH EEAEEKPDLF VAVPHLVGTS

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

PAGEGQRQRE KMLSRFGRF WKKPEREMHP SRDSDSEPPF PGTQSLIQPI  
 DGMKMEKSPL REEAKKFWHH F MFRKTPAS QGVILPIKSH EVHWETCRTV  
 PFSQTITHEG CEKLVVQNNL CFGKCGSVHF PG AAQHSHT SCSHCLPAKF  
 TTMHLPLNCT ELSSVIKVVVM LVEECQCKVK TEHEDGHILH AGS QDSFIP  
 GVSVDHHHH

**Purity** Greater than 95% as determined by SEC-HPLC and reducing SDS-PAGE.

**Notes** For research use only.

**Storage** Lyophilized protein should be stored at less than 20°C. though stable at room temperature for 3 weeks.Reconstituted protein solution can be stored at 4-7°C. for 2-7 days.Aliquots of reconstituted samples are stable at less than 20°C. for 3 months.

## GENE INFORMATION

**Gene Name** CER1 cerberus 1, cysteine knot superfamily, homolog (Xenopus laevis) [ Homo sapiens ]

**Official Symbol** CER1

**Synonyms** CER1; cerberus 1, cysteine knot superfamily, homolog (Xenopus laevis); cerberus 1 (Xenopus laevis) homolog (cysteine knot superfamily); cerberus; DAND4; cerberus-related 1; cerberus-related protein; DAN domain family member 4; MGC96951; MGC119894; MGC119895;

**Gene ID** 9350

**mRNA Refseq** NM\_005454

**Protein Refseq** NP\_005445

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>MIM</b>	603777
<b>UniProt ID</b>	O95813
<b>Chromosome Location</b>	9p23-p22
<b>Pathway</b>	BMP receptor signaling, organism-specific biosystem; Developmental Biology, organism-specific biosystem; Regulation of Signaling by NODAL, organism-specific biosystem; Signal Transduction, organism-specific biosystem; Signaling by BMP, organism-specific biosystem; Signaling by NODAL, organism-specific biosystem; Wnt signaling pathway, organism-specific biosystem;
<b>Function</b>	cytokine activity; molecular_function; protein homodimerization activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA