

## Recombinant Human CES1 293 Cell Lysate

**Cat. No.** CES1-7565HCL    **Lot. No.** (See product label)

### SPECIFICATION

<b>Species</b>	Human
<b>Source</b>	HEK293
<b>Description</b>	Antigen standard for carboxylesterase 1 (monocyte/macrophage serine esterase 1) (CES1), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
<b>Components</b>	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
<b>Size</b>	0.1 mg
<b>Storage Instruction</b>	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
<b>Applications</b>	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

## GENE INFORMATION

**Gene Name** [CES1 carboxylesterase 1 \[ Homo sapiens \]](#)

**Official Symbol** CES1

**Synonyms**

CES1; carboxylesterase 1; carboxylesterase 1 (monocyte/macrophage serine esterase 1); liver carboxylesterase 1; CEH; CES1A1; CES1A2; CES2; HMSE; HMSE1; human monocyte/macrophage serine esterase 1; SES1; egasyn; serine esterase 1; retinyl ester hydrolase; cocaine carboxylesterase; triacylglycerol hydrolase; carboxylesterase 2 (liver); brain carboxylesterase hBr1; cholesteryl ester hydrolase; monocyte/macrophage serine esterase; methylumbelliferyl-acetate deacetylase 1; acyl coenzyme A:cholesterol acyltransferase; acyl-coenzyme A:cholesterol acyltransferase; REH; TGH; ACAT; PCE-1; MGC117365;

**Gene ID** [1066](#)

**mRNA Refseq** [NM\\_001025194](#)

**Protein Refseq** [NP\\_001020365](#)

**UniProt ID** [P23141](#)

**Chromosome Location** 16q22.2

**Pathway**

Drug metabolism - other enzymes, organism-specific biosystem; Drug metabolism - other enzymes, conserved biosystem; E2F transcription factor network, organism-specific biosystem; Fluoropyrimidine Activity, organism-specific biosystem; Irinotecan

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Pathway, organism-specific biosystem; Metabolic pathways, organism-specific biosystem; retinol biosynthesis, conserved biosystem;

**Function**

carboxylesterase activity; hydrolase activity; methyl indole-3-acetate esterase activity; methyl jasmonate esterase activity; methyl salicylate esterase activity; methylumbelliferyl-acetate deacetylase activity; retinyl-palmitate esterase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA