

Recombinant Human CFD, His-tagged

Cat. No. CFD-78H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant human CFD, fused to His-tag at C-terminus, was expressed in insect cell and purified by using conventional chromatography techniques.
Species	Human
Source	Insect Cells
Description	CFD, also known as Complement factor D preproprotein, is a serine protease that stimulates glucose transport for triglyceride accumulation in fats cells and inhibits lipolysis. There are two antiparallel beta-barrel domains with each barrel containing six beta-strands with the same typology in all enzymes. The major difference in backbone structure between Factor D and the other serine proteases of the chymotrypsin family is in the surface loops connecting the secondary structural elements. Factor D displays different conformations of major catalytic and substrate-binding residues typically found in the chymotrypsin family.
Form	Liquid. In phosphate buffered saline (pH7.4).
Molecular Mass	26.01kDa (241aa) confirmed by MALDI-TOF28-40kDa (SDS-PAGE under reducing conditions.)
AA Sequence	PPRGRILGGR EAEAHARPYM ASVQLNGAHL CGGVLVAEQW VLSSAAHCLED AADGKVQVLL GAHSLSQPEP SKRLYDVLRA VPHPDSQPDT IDHDL LLLQL SEKATLGPAV RPLPWQRVDR DVAPGTLCDV AGWGIVNHAG RRPDSLQHV L LPVLDRATCN RRTHHDGAI T ERLMCAESNR RDSCKGDSGG PLVCGGVLEG

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

VVTSGSRVCG NRKKPGIYTR VASYAAWIDS VLAVEHHHHH H

Endotoxin < 1.0 eu per 1 microgram of protein (determined by lal)

Purity >95% by SDS - PAGE.

Storage Can be stored at +4C short term (1-2 weeks). For long term storage, aliquot and store at -20C or -70C. Avoid repeated freezing and thawing cycles.

Concentration 1mg/ml (determined by Bradford assay)

GENE INFORMATION

Gene Name [CFD complement factor D \(adipsin\) \[Homo sapiens \]](#)

Official Symbol CFD

Synonyms CFD; complement factor D (adipsin); D component of complement (adipsin) , DF, PFD, properdin factor D; complement factor D; ADN; properdin factor D; C3 convertase activator; complement factor D preproprotein; D component of complement (adipsin); DF; PFD; ADIPSIN;

Gene ID [1675](#)

mRNA Refseq [NM_001928](#)

Protein Refseq [NP_001919](#)

MIM [134350](#)

UniProt ID [P00746](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Chromosome Location	19p13.3
Pathway	Adipogenesis, organism-specific biosystem; Alternative complement activation, organism-specific biosystem; Complement and coagulation cascades, organism-specific biosystem; Complement and coagulation cascades, conserved biosystem; Complement cascade, organism-specific biosystem; Hemostasis, organism-specific biosystem; Immune System, organism-specific biosystem;
Function	peptidase activity; serine-type endopeptidase activity; serine-type peptidase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA