

Recombinant Human CHD4 protein, GST-tagged

Cat. No. CHD4-2793H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human CHD4(635 a.a. - 734 a.a.) fused with GST tag at N-terminal was expressed in Wheat Germ.
Species	Human
Source	Wheat Germ
ProteinLength	635-734 a.a.
Description	The product of this gene belongs to the SNF2/RAD54 helicase family. It represents the main component of the nucleosome remodeling and deacetylase complex and plays an important role in epigenetic transcriptional repression. Patients with dermatomyositis develop antibodies against this protein. Somatic mutations in this gene are associated with serous endometrial tumors. Alternative splicing results in multiple transcript variants encoding different isoforms.
Form	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Molecular Mass	36.74 kDa
AA Sequence	AADADVDPNIGPYVFE L P F V P A A V R K N W T I T R L N G D Y A Q L S L R I L Y L E A G M Y D V P I I V T D S G N P P L S N T S I I K V K V C P C D D N G D C T T I G A V A A A G L G T G A
Applications	Enzyme-linked Immunoabsorbent Assay; Western Blot (Recombinant protein); Antibody Production; Protein Array

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Notes Best use within three months from the date of receipt of this protein.

Storage Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.

GENE INFORMATION

Gene Name CHD4 chromodomain helicase DNA binding protein 4 [Homo sapiens]

Official Symbol CHD4

Synonyms CHD4; chromodomain helicase DNA binding protein 4; chromodomain-helicase-DNA-binding protein 4; Mi 2b; Mi2 BETA; CHD-4; ATP-dependent helicase CHD4; Mi-2 autoantigen 218 kDa protein; Mi-2b; Mi2-BETA; DKFZp686E06161;

Gene ID 1108

mRNA Refseq NM_001273

Protein Refseq NP_001264

MIM 603277

UniProt ID Q14839

Chromosome Location 12p13

Pathway Signaling events mediated by HDAC Class I, organism-specific biosystem;

Function ATP binding; ATP-dependent DNA helicase activity; DNA binding; helicase activity; hydrolase activity; hydrolase activity, acting on acid anhydrides, in phosphorus-containing anhydrides; metal ion binding; nucleotide binding; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



transcription factor binding; zinc ion binding;

☎ Tel: 1-631-559-9269 1-516-512-3133

☎ Email: info@creative-biomart.com ☎ Fax: 1-631-938-8127

☎ 45-1 Ramsey Road, Shirley, NY 11967, USA