

Recombinant Human CHRNA4 293 Cell Lysate

Cat. No. CHRNA4-7515HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for cholinergic receptor, nicotinic, alpha 4 (CHRNA4) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	CHRNA4 cholinergic receptor, nicotinic, alpha 4 (neuronal) [Homo sapiens]
Official Symbol	CHRNA4
Synonyms	CHRNA4; cholinergic receptor, nicotinic, alpha 4 (neuronal); cholinergic receptor, nicotinic, alpha polypeptide 4 , EBN, EBN1; neuronal acetylcholine receptor subunit alpha-4; acetylcholine receptor; nicotinic; alpha 4 (neuronal); BFNC; cholinergic receptor, nicotinic, alpha polypeptide 4; neuronal nicotinic acetylcholine receptor alpha-4 subunit; EBN; EBN1; NACHR; NACRA4; NACHRA4; FLJ95812;
Gene ID	1137
mRNA Refseq	NM_000744
Protein Refseq	NP_000735
MIM	118504
UniProt ID	P43681
Chromosome Location	20
Pathway	Acetylcholine Binding And Downstream Events, organism-specific biosystem; Activation of Nicotinic Acetylcholine Receptors, organism-specific biosystem; Cholinergic synapse, organism-specific biosystem; Highly calcium permeable nicotinic acetylcholine receptors, organism-specific biosystem; Highly calcium permeable

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



postsynaptic nicotinic acetylcholine receptors, organism-specific biosystem; Highly sodium permeable acetylcholine nicotinic receptors, organism-specific biosystem; Neuroactive ligand-receptor interaction, organism-specific biosystem;

Function

acetylcholine binding; acetylcholine receptor activity; acetylcholine-activated cation-selective channel activity; acetylcholine-activated cation-selective channel activity; extracellular ligand-gated ion channel activity; ion channel activity; ligand-gated ion channel activity; receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA