

Recombinant Human CLU protein, His-SUMO & Myc-tagged

Cat. No. CLU-2706H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human CLU protein(P10909)(23-449aa), fused to N-terminal His tag and SUMO tag and C-terminal Myc tag, was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	23-449aa
Form	If the delivery form is liquid, the default storage buffer is Tris/PBS-based buffer, 5%-50% glycerol. If the delivery form is lyophilized powder, the buffer before lyophilization is Tris/PBS-based buffer, 6% Trehalose, pH 8.0.
Molecular Mass	70.1 kDa
AA Sequence	DQTVSDNELQEMSNQGSKYVNKEIQNAVNGVKQIKTLIEKTNEERKTLLSNLEEAKK KKEDALNETRESETKLKELPGVCNETMMALWEECKPCLKQTCMKFYARVCRSGSG LVGRQLEEFNLQSSPFYFWMNGDRIDSLLENDRQQTHMLDVMQDHFSRASSIIDEL FQDRFFFTREPQDTHYHLPFSLPHRRPHFFFPKSRIVRSLMPFSPYEPLNFHAMFQPF LEMIHEAQQAMDIHFHSPAFQHPPTFEFIREGDDDRTVCREIRHNSTGCLRMKDQCD KCREILSVDCSTNNPSQAKLRRELDLQVAERLTRKYNELLKSYQWKMLNTSSLLE QLNEQFNWVSRLANLTQGEDQYYLRVTTVASHTSDSDVPSGVTEVVVKLFDSDPIT VTVPEVSRKNPKFMETVAEKALQEYRKKHREE

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	Greater than 85% as determined by SDS-PAGE.
Storage	Store at -20°C/-80°C upon receipt, aliquoting is necessary for mutiple use. Avoid repeated freeze-thaw cycles.
Reconstitution	Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%.

GENE INFORMATION

Gene Name	CLU clusterin [Homo sapiens]
Official Symbol	CLU
Synonyms	CLU; clusterin; APOJ, CLI, clusterin (complement lysis inhibitor, SP 40,40, sulfated glycoprotein 2, testosterone repressed prostate message 2, apolipoprotein J); apolipoprotein J; complement lysis inhibitor; KUB1; SGP 2; SP 40; sulfated glycoprotein 2; testosterone repressed prostate message 2; TRPM 2; ku70-binding protein 1; aging-associated protein 4; complement cytolysis inhibitor; complement-associated protein SP-40,40; testosterone-repressed prostate message 2; CLI; AAG4; APOJ; SGP2; APO-J; SGP-2; SP-40; TRPM2; TRPM-2; NA1/NA2; MGC24903;
Gene ID	1191
mRNA Refseq	NM_001831
Protein Refseq	NP_001822
MIM	185430

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



UniProt ID

P10909

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA