

Recombinant Human CRLF2, His-tagged

Cat. No. CRLF2-7578H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant human CRLF2 protein, fused to His-tag at N-terminus, was expressed in E.coli.
Species	Human
Source	E.coli
ProteinLength	23-231aa
Antigen Description	CRLF2 is a receptor for thymic stromal lymphopoietin (TSLP). Together with the interleukin 7 receptor (IL7R), the protein and TSLP activate STAT3, STAT5, and JAK2 pathways, which control processes such as cell proliferation and development of the hematopoietic system. Two transcript variants encoding different isoforms have been found for this gene.
Form	Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 0.4M UREA, 10% glycerol
Molecular Mass	26.6 kDa (232aa)
AA Sequence	MGSSHHHHHH SSSLVPRGSH MGSQGAAEG VQIQIYFNL ETVQVTWNAS KYSRTNLTFFH YRFNGDEAYD QCTNYLLQEG HTSGCLLDAE QRDDILYFSI RNGTHPVFTA SRWMVYYLKP SSPKHVRFWS HQDAVTVTCS DLSYGDLLYE VQYRSPFDTE WQSKQENTCN VTIEGLDAEK CYSFWVRVKA MEDVYGPDTY PSDWSEVTCW QRGEIRDACA ETPTPPKPKL SK

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	>85% as determined by SDS - PAGE
Applications	SDS-PAGE
Storage	Can be stored at 4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.
Concentration	1 mg/ml
GENE INFORMATION	
Gene Name	CRLF2 cytokine receptor-like factor 2 [Homo sapiens]
Official Symbol	CRLF2
Synonyms	CRLF2; cytokine receptor-like factor 2; CRL2; TSLPR; IL-XR; TSLP receptor; P2RY8/CRLF2 fusion; cytokine receptor-like 2; cytokine receptor CRL2 precursor; thymic stromal lymphopoietin receptor; thymic stromal lymphopoietin protein receptor; thymic stromal-derived lymphopoietin receptor; CRLF2Y;
Gene ID	64109
mRNA Refseq	NM_001012288
Protein Refseq	NP_001012288
MIM	300357
UniProt ID	Q9HC73
Chromosome Location	Xp22.3 and Yp11.3

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Pathway

Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; Jak-STAT signaling pathway, organism-specific biosystem; Jak-STAT signaling pathway, conserved biosystem;

Function

receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA