

# Human Pegylated Granulocyte Colony Stimulating Factor Reference standard

Cat. No. CSF3-44H Lot. No. (See product label)

## SPECIFICATION

<b>Product Overview</b>	The Reference Standard is the primary standard for in vitro biological activity of PEGylated Granulocyte Colony Stimulating Factor (PEG-G-CSF) preparations produced by conjugation of a 20kD monomethoxy linear PEG to the N-terminal methionyl residue of G-CSF and representative of the approved product, INN PEG-Filgrastim.
<b>Species</b>	Human
<b>Enzyme Unit</b>	The assigned potency agreed on the basis of an International Collaborative Study is 10,000 International Units of biological activity per ampoule.
<b>Usage</b>	No attempt should be made to weigh out any portion of the freeze-dried material prior to reconstitution. Dissolve the total contents of the ampoule in 1.0ml of sterile distilled water. This solution will contain PEG-G-CSF at a concentration of 10,000 International Units/ml. Use carrier protein where extensive dilution is required.
<b>Notes</b>	This preparation is not for administration to humans. The preparation contains material of human origin, and either the final product or the source materials, from which it is derived, have been tested and found negative for HBsAg, anti-HIV and HCV RNA. As with all materials of biological origin, this preparation should be regarded as potentially hazardous to health. It should be used and discarded according to your own laboratorys safety procedures. Such safety procedures should include the wearing of protective gloves and avoiding the generation of aerosols.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Care should be exercised in opening ampoules or vials, to avoid cuts.

**Stability**

Reference materials are held at Creative Biomart within assured, temperature-controlled storage facilities and they should be stored on receipt as indicated on the label. Accelerated degradation studies have indicated that this material is suitably stable, when stored at -20°C or below, for the assigned values to remain valid until the material is withdrawn or replaced. These studies have also shown that the material is suitably stable for shipment at ambient temperature without any effect on the assigned values. Once reconstituted, diluted or aliquoted, users should determine the stability of the material according to their own method of preparation, storage and use. Users who have data supporting any deterioration in the characteristics of any reference preparation are encouraged to contact Creative Biomart.

**Storage**

For economy of use, it is recommended that the solution be sub divided into several small aliquots and stored at -40°C or below. Avoid repeated thawing/freezing. Unopened ampoules should be stored at -20°C. Please note: because of the inherent stability of lyophilized material, Creative Biomart may ship these materials at ambient temperature.

**GENE INFORMATION****Gene Name**

CSF3 colony stimulating factor 3 (granulocyte) [ Homo sapiens ];

**Official Symbol**

CSF3

**Synonyms**

CSF3; colony stimulating factor 3 (granulocyte); C17orf33, chromosome 17 open reading frame 33 , G CSF, GCSF; granulocyte colony-stimulating factor; filgrastim; granulocyte colony stimulating factor; lenograstim; MGC45931; pluripoietin; GCSF; CSF3OS; C17orf33;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Gene ID</b>	1440
<b>mRNA Refseq</b>	NM_000759
<b>Protein Refseq</b>	NP_000750
<b>MIM</b>	138970
<b>UniProt ID</b>	P09919
<b>Chromosome Location</b>	17q11.2-q12
<b>Pathway</b>	Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; Cytokines and Inflammatory Response, organism-specific biosystem; Hematopoietic cell lineage, organism-specific biosystem; Hematopoietic cell lineage, conserved biosystem; Jak-STAT signaling pathway, organism-specific biosystem; Jak-STAT signaling pathway, conserved biosystem;
<b>Function</b>	cytokine activity; cytokine activity; enzyme binding; granulocyte colony-stimulating factor receptor binding; growth factor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA