

GMP Recombinant Human CTLA4 Protein

Cat. No. CTLA4-155HG Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human CTLA4 (Lys36-Asp161) with a Fc tag at the C-terminus was produced in HEK293 cell in an animal component free process under cGMP guidelines.
Species	Human
Source	HEK293
ProteinLength	36-161 a.a.
Description	<p>Cytotoxic Tlymphocyte 4(CTLA-4,CD152), is a type I transmembrane T cell inhibitory molecule that is a member of the Ig superfamily. Human or mouse CTLA4 cDNA encodes 223 amino acids (aa) including a 35 aa signal sequence, a 126 aa extracellular domain (ECD) with one Ig-like V-type domain, a 21 aa transmembrane (TM) sequence, and a 41 aa cytoplasmic sequence. It is widely expressed with highest levels in lymphoid tissues. CD28 and CTLA-4, together with their ligands, B7-1 and B7-2, constitute one of the dominant costimulatory pathways that regulate T and B cell responses. CD28 and CTLA-4 are structurally homologous molecules that are members of the immunoglobulin (Ig) gene superfamily. CTLA4 transmits an inhibitory signal to T cells, whereas CD28 transmits a stimulatory signal. Intracellular CTLA4 is also found in regulatory T Cells and may play an important role in their functions. Tcell activation through the Tcell receptor and CD28 leads to increased expression of CTLA4.</p>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Form	Lyophilized.
AA Sequence	KAMHVAQPAVVLASSRGIASFVCEYASPGKATEVRVTVLRQADSQVTEVCAATYMM GNELTFLDD SICTGTSSGNQVNLTIQGLRAMDTGLYICKVELMYPPYYLGIGNGTQI YVIDPEPCPDSQEPK SSDKTHTSPPSPAPELLGGSSVFLFPPKPKDTLMISRTPEV TCVVVDVSHEDPEVKFNWYVDGVE VHNAKTKPREEQYNSTYRVVSVLTVLHQDWL NGKEYKCKVSNKALPAPIEKTISKAKGQPREPQV YLPPSRDELTKNQVSLTCLVKG FYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVD KSRWQQGNVFSCS VMHEALHNHYTQKSLSLSPGK
Residual Host Cell DNA Content	<10pg/mg
Residual Host Cell Protein Content	<1ug/mg
Endotoxin	<0.1EU/ug
Purity	Greater than 95% as determined by reducing SDS-PAGE.
Usage	Recommemnd working concentration: 10-100ug/ml
Storage	Lyophilized and reconstituted protein should be stored at -80 centigrade. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.
Reconstitution	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration >100µg/ml. Dissolve the lyophilized protein in ddH ₂ O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.
Quality Statement	Our GMP proteins are produced according to relevant sections of the following

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

documents: WHO TRS, No. 822, 1992 Annex 1, Good Manufacturing Practices for Biological Products; USP Chapter 1043, Ancillary Materials for Cell, Gene and Tissue-Engineered Products and USP Chapter 92, Growth Factors and Cytokines Used in Cell Therapy Manufacturing.

Shipping

The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature.

GENE INFORMATION
Gene Name

[CTLA4 cytotoxic T-lymphocyte-associated protein 4 \[Homo sapiens \]](#)

Official Symbol

[CTLA4](#)

Synonyms

CTLA4; cytotoxic T-lymphocyte-associated protein 4; CD; CD28; CD152; GSE; ICOS; CD152 isoform; celiac disease 3; cytotoxic T-lymphocyte antigen 4; GRD4; CTLA-4; IDDM12; CELIAC3

Gene ID

[1493](#)

mRNA Refseq

[NM_001037631](#)

Protein Refseq


[NP_001032720](#)

UniProt ID

[P16410](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA