

Active Recombinant Human CTLA4 Protein, His-Avi-tagged, Biotinylated

Cat. No. CTLA4-257H Lot. No. (See product label)

SPECIFICATION

Product Overview Biotinylated Human CTLA-4, His Tag, Avi Tag is expressed from HEK293 cells. It contains AA Ala 37 - Phe 162 (Accession # Q6GR94-1). This protein carries a polyhistidine tag at the C-terminus, followed by an Avi tag.

Species Human

Source HEK293

ProteinLength 37-162 a.a.

Predicted N Terminal Ala 37

Form Lyophilized from 0.22 um filtered solution in PBS, pH7.4, 10% trehalose.

Bio-activity Immobilized Human B7-1, Fc Tag at 2 ug/mL (100 uL/well) can bind Biotinylated Human CTLA-4, His Tag, Avi Tag with a linear range of 0.8-25 ug/mL.

Molecular Mass The protein has a calculated MW of 17.2 kDa. The protein migrates as 22-30 kDa under reducing condition (SDS-PAGE) due to glycosylation.

Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method.

Purity >95% as determined by SDS-PAGE.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Characteristic	Biotinylation of this product is performed using Avitag technology. Briefly, the single lysine residue in the Avitag is enzymatically labeled with biotin. The biotin to protein ratio is 0.5-1 as determined by the HABA assay.
Stability	Samples are stable for up to twelve months from date of receipt at -70°C.
Storage	For long term storage, the product should be stored at lyophilized state at -20°C or lower. Please avoid repeated freeze-thaw cycles. No activity loss is observed after storage at: 4-8°C for 12 months in lyophilized state; -70°C for 3 months under sterile conditions after reconstitution.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.
Conjugation	Biotin

GENE INFORMATION

Gene Name	CTLA4 cytotoxic T-lymphocyte-associated protein 4 [Homo sapiens]
Official Symbol	CTLA4
Synonyms	CTLA4; cytotoxic T-lymphocyte-associated protein 4; celiac disease 3 , CELIAC3; cytotoxic T-lymphocyte protein 4; CD; CD28; CD152; GSE; ICOS; CD152 isoform; celiac disease 3; cytotoxic T-lymphocyte antigen 4; cytotoxic T-lymphocyte-associated antigen 4; cytotoxic T-lymphocyte-associated serine esterase-4; cytotoxic T lymphocyte associated antigen 4 short spliced form; ligand and transmembrane spliced cytotoxic T lymphocyte associated antigen 4; GRD4; CTLA-4; IDDM12; CELIAC3;
Gene ID	1493

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



mRNA Refseq [NM_001037631](#)

Protein Refseq [NP_001032720](#)

UniProt ID [P16410](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA