

# Recombinant Full Length Human CXCL11 Protein, GST-tagged

Cat. No. CXCL11-2278HF Lot. No. (See product label)

## SPECIFICATION

**Product Overview** Human CXCL11 full-length ORF ( AAH05292, 1 a.a. - 94 a.a.) recombinant protein with GST-tag at N-terminal.

**Species** Human

**Source** In Vitro Cell Free System

**ProteinLength** 94 amino acids

### Description

Chemokines are a group of small (approximately 8 to 14 kD), mostly basic, structurally related molecules that regulate cell trafficking of various types of leukocytes through interactions with a subset of 7-transmembrane, G protein-coupled receptors. Chemokines also play fundamental roles in the development, homeostasis, and function of the immune system, and they have effects on cells of the central nervous system as well as on endothelial cells involved in angiogenesis or angiostasis. Chemokines are divided into 2 major subfamilies, CXC and CC. This antimicrobial gene is a CXC member of the chemokine superfamily. Its encoded protein induces a chemotactic response in activated T-cells and is the dominant ligand for CXC receptor-3. The gene encoding this protein contains 4 exons and at least three polyadenylation signals which might reflect cell-specific regulation of expression. IFN-gamma is a potent inducer of transcription of this gene. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Oct 2014]

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Molecular Mass</b>	36.08 kDa
<b>AA Sequence</b>	MSVKGMAIALAVILCATVVQGFPMPFKRGRCLCIGPGVKAVKVADIEKASIMYPSNNC DKIEVIITLKENKQQRCLNPKSKQARLIKKVERKNF
<b>Applications</b>	Enzyme-linked Immunoabsorbent Assay Western Blot (Recombinant protein) Antibody Production Protein Array
<b>Notes</b>	Best use within three months from the date of receipt of this protein.
<b>Storage</b>	Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.
<b>Storage Buffer</b>	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

## GENE INFORMATION

<b>Gene Name</b>	CXCL11 chemokine (C-X-C motif) ligand 11 [ Homo sapiens ]
<b>Official Symbol</b>	CXCL11
<b>Synonyms</b>	CXCL11; chemokine (C-X-C motif) ligand 11; SCYB9B, SCYB11, small inducible cytokine subfamily B (Cys X Cys), member 11; C-X-C motif chemokine 11; b R1; H174; I TAC; IP 9; beta-R1; small inducible cytokine B11; small-inducible cytokine B11; interferon gamma-inducible protein 9; interferon-inducible T-cell alpha chemoattractant; small inducible cytokine subfamily B (Cys-X-Cys), member 11; small inducible cytokine subfamily B (Cys-X-Cys), member 9B; IP9; IP-9; b-R1; I-TAC; SCYB11; SCYB9B; MGC102770;
<b>Gene ID</b>	6373

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



mRNA Refseq	NM_005409
Protein Refseq	NP_005400
MIM	604852
UniProt ID	O14625

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA