

## Recombinant Human CXCL8 Protein, His-tagged

**Cat. No.** CXCL8-231H    **Lot. No.** (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Human chemokine ligand 8(CXCL8)(NM_000584), with a His tag, was expressed in human cells.
<b>Species</b>	Human
<b>Source</b>	Human Cells
<b>Description</b>	The protein encoded by this gene is a member of the CXC chemokine family. This chemokine is one of the major mediators of the inflammatory response. This chemokine is secreted by several cell types. It functions as a chemoattractant, and is also a potent angiogenic factor. This gene is believed to play a role in the pathogenesis of bronchiolitis, a common respiratory tract disease caused by viral infection. This gene and other ten members of the CXC chemokine gene family form a chemokine gene cluster in a region mapped to chromosome 4q.
<b>Form</b>	Purified protein formulated in a sterile solution of TBS buffer, pH7.57, without any preservatives.
<b>Molecular Mass</b>	10.1kD
<b>Endotoxin</b>	Endotoxin level is < 0.1 ng/g of protein (<1EU /g)
<b>Purity</b>	>90% by SDS-PAGE gel and Coomassie Blue staining
<b>Applications</b>	Antigens, Western, ELISA and other in vitro binding or in vivo functional assays, and

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

protein-protein interaction studies.

## GENE INFORMATION

**Gene Name** CXCL8 C-X-C motif chemokine ligand 8 [ Homo sapiens (human) ]

**Official Symbol** CXCL8

**Synonyms**

CXCL8; C-X-C motif chemokine ligand 8; IL8; NAF; GCP1; LECT; LUCT; NAP1; GCP-1; LYNAP; MDNCF; MONAP; NAP-1; SCYB8; interleukin-8; T-cell chemotactic factor; alveolar macrophage chemotactic factor I; beta endothelial cell-derived neutrophil activating peptide; beta-thromboglobulin-like protein; chemokine (C-X-C motif) ligand 8; emoctakin; granulocyte chemotactic protein 1; interleukin 8; lung giant cell carcinoma-derived chemotactic protein; lymphocyte derived neutrophil activating peptide; monocyte-derived neutrophil chemotactic factor; monocyte-derived neutrophil-activating peptide; neutrophil-activating peptide 1; small inducible cytokine subfamily B, member 8; tumor necrosis factor-induced gene 1

**Gene ID** 3576

**mRNA Refseq** NM\_000584

**Protein Refseq** NP\_000575

**MIM** 146930

**UniProt ID** P10145

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA