

Recombinant Human CXCR1 293 Cell Lysate

Cat. No. CXCR1-7164HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for chemokine (C-X-C motif) receptor 1 (CXCR1) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name CXCR1 chemokine (C-X-C motif) receptor 1 [Homo sapiens]

Official Symbol CXCR1

Synonyms CXCR1; chemokine (C-X-C motif) receptor 1; CMKAR1, IL8RA, interleukin 8 receptor, alpha; C-X-C chemokine receptor type 1; CD181; CDw128a; CKR 1; CXC-R1; CXCR-1; IL-8R A; IL-8 receptor type 1; interleukin 8 receptor, alpha; interleukin-8 receptor type 1; interleukin-8 receptor type A; high affinity interleukin-8 receptor A; C-C; CD128; CKR-1; IL8R1; IL8RA; CMKAR1; IL8RBA; C-C-CKR-1;

Gene ID 3577

mRNA Refseq NM_000634

Protein Refseq NP_000625

MIM 146929

UniProt ID P25024

Chromosome Location 2q35

Pathway Chemokine receptors bind chemokines, organism-specific biosystem; Chemokine signaling pathway, organism-specific biosystem; Chemokine signaling pathway, conserved biosystem; Class A/1 (Rhodopsin-like receptors), organism-specific biosystem; Cytokine-cytokine receptor interaction, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Cytokine-cytokine receptor interaction, conserved biosystem; Endocytosis, organism-specific biosystem;

Function

G-protein coupled receptor activity; chemokine receptor activity; interleukin-8 binding; interleukin-8 receptor activity; receptor activity; signal transducer activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA