

Recombinant Human CXCR3 Full Length Transmembrane protein (1-368 aa), His-tagged

Cat. No. CXCR3-279H Lot. No. (See product label)

SPECIFICATION

Product Overview

Recombinant Human CXCR3 Full Length Transmembrane protein (1-368 aa)(P49682), fused with N-terminal 6xHis tag, was expressed in E.coli.

Species

Human

Source

E.coli

ProteinLength

1-368 aa

Form

If the delivery form is liquid, the default storage buffer is Tris/PBS-based buffer, 5%-50% glycerol.
If the delivery form is lyophilized powder, the buffer before lyophilization is Tris/PBS-based buffer, 6% Trehalose, pH 8.0.

Molecular Mass

44.7kDa

AA Sequence

MVLEVSDHQVLNDAEVAALLENFSSSYDYGENESDSCCTSPPCPQDFSLNFDRAFL
PALYSLLFLLGLLGNGAVAAVLLSRRTALSSTDTFLLHLAVADTLLVLTPLWAVDAAV
QWVFGSGLCKVAGALFNINFYAGALLACISFDRYLNIVHATQLYRRGPPARVTLTCL
AVWGLCLLFALPDFIFLSAHHDERLNATHCQYNFPQVGRTRALRVLQLVAGFLLPLL
MAYCYAHILAVLLVSRGQRRLRAMRLVVVVVAFALCWTPYHLVVLVDILMDLGALA
RNCGRESRVDVAKSVTSGLGYMHCCLNPLLYAFVGVKFRERMWMLLLRLGCPNQR
GLQRQPSSRRDSSWSETSEASYSGL

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	Greater than 90% as determined by SDS-PAGE.
Storage	Store at -20°C/-80°C upon receipt, aliquoting is necessary for mutiple use. Avoid repeated freeze-thaw cycles.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%.

GENE INFORMATION

Gene Name	CXCR3 chemokine (C-X-C motif) receptor 3 [Homo sapiens]
Official Symbol	CXCR3
Synonyms	CXCR3; chemokine (C-X-C motif) receptor 3; G protein coupled receptor 9 , GPR9; C-X-C chemokine receptor type 3; CD183; CKR L2; CMKAR3; IP10 R; MigR; CXC-R3; CXCR-3; Mig receptor; IP10 receptor; IP-10 receptor; G protein-coupled receptor 9; chemokine (C-X-C) receptor 3; interferon-inducible protein 10 receptor; GPR9; CD182; Mig-R; CKR-L2; IP10-R;
Gene ID	2833
mRNA Refseq	NM_001142797
Protein Refseq	NP_001136269
MIM	300574


 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID P49682

SDS-PAGE



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA