

# Active Recombinant Full Length Human CXCR5 Nanoparticles

Cat. No. CXCR5-10HFL Lot. No. (See product label)

## SPECIFICATION

<b>Species</b>	Human
<b>Source</b>	HEK293T
<b>ProteinLength</b>	1-372 aa
<b>Description</b>	C-X-C chemokine receptor type 5 (CXCR5) is also known as CD185, Burkitt lymphoma receptor 1 (BLR1) and monocyte-derived receptor 15 (MDR15). CXCR-5 is a G protein-coupled receptor (GPCR) for the C-X-C motif chemokine 13 (CXCL13). It enables T cells to migrate to lymph node and the B cell zones.
<b>Applications</b>	ELISA for CXCR5-specific antibody binding assays.
<b>Storage</b>	Store at -80 centigrade.
<b>Storage Buffer</b>	0.2 µm filtered PBS, pH 7.4, no preservatives
<b>Shipping</b>	Frozen Dry Ice

## GENE INFORMATION

<b>Gene Name</b>	CXCR5 C-X-C motif chemokine receptor 5 [ Homo sapiens (human) ]
<b>Official Symbol</b>	CXCR5

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



**Synonyms**

CXCR5; chemokine (C-X-C motif) receptor 5; BLR1, Burkitt lymphoma receptor 1, GTP binding protein (chemokine (C X C motif) receptor 5) , Burkitt lymphoma receptor 1, GTP binding protein; C-X-C chemokine receptor type 5; CD185; MDR15; CXC-R5; CXCR-5; MDR-15; monocyte-derived receptor 15; Burkitt lymphoma receptor 1, GTP-binding protein; Burkitt lymphoma receptor 1, GTP binding protein (chemokine (C-X-C motif) receptor 5); BLR1; MGC117347

**Gene ID**

643

**mRNA Refseq**

NM\_001716

**Protein Refseq**

NP\_001707

**MIM**

601613

**UniProt ID**

P32302

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA