

Recombinant Human Cytochrome P450 17A1

Cat. No. CYP17A1-01H Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	E.coli
Form	50mM Tris- HCl, pH7.4, 200mM NaCl, 10% glycerol
Molecular Mass	Theoretical MW: ~55kDa
AA Sequence	AKKTGAKYPKSLLSLPLVGSPLPFLPRHGHMHNNFFKLQKKYGPIYSVRMGTKTTVIV GHHQLAKEVLIKKGKDFS GRPQMATLDIASNNRKGIAFADSGAHWQLHRRLAMATF ALFKDGDQKLEKIICQEISTLCDMLATHNGQSIDISF PVFVAVTNVISLICFNTSYKNG DPELNVIQNYNEGIIDNLSKDSLVDLVPWLKIFPNKTLEKLKSHVKIRNDLLN KILENY KEKFRSDSITNMLDTLMQAKMNSDNGNAGPDQDSELLSDNHILTTIGDIFGAGVETT TSVVKWTLAFLH HNPQVKKKLYEEIDQNVGFSRTPPTISDRNRLLLLLEATIREVLRRLRP VAPMLIPHKANVDSSIGEFVAVDKGTEVII NLWALHHNEKEWHQPDQFMPERFLNPA GTQLISPSVSYLPFGAGPRSCIGEILARQELFLIMAWLLQRFDLEVPD DGQLPSLEGI PKVVFLIDSFVKIKVRQAWREAQAEGST
Purity	>90% determined by SDS-PAGE.
Storage	Short Term Storage +4°C. Long Term Storage -20°C please prepare aliquots and store at -20°C. Avoid freeze/thaw cycles.

GENE INFORMATION

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Gene Name	CYP17A1 cytochrome P450, family 17, subfamily A, polypeptide 1 [Homo sapiens]
Official Symbol	CYP17A1
Synonyms	CYP17A1; cytochrome P450, family 17, subfamily A, polypeptide 1; CYP17, cytochrome P450, subfamily XVII (steroid 17 alpha hydroxylase), adrenal hyperplasia; steroid 17-alpha-hydroxylase/17,20 lyase; CPT7; P450C17; S17AH; Steroid 17 alpha monooxygenase; CYPXVII; cytochrome P450c17; cytochrome P450-C17; cytochrome P450 17A1; cytochrome p450 XVIIA1; steroid 17-alpha-monooxygenase; cytochrome P450, subfamily XVII (steroid 17-alpha-hydroxylase), adrenal hyperplasia; CYP17;
Gene ID	1586
mRNA Refseq	NM_000102
Protein Refseq	NP_000093
MIM	609300
UniProt ID	P05093
Chromosome Location	10q24.3
Pathway	Androgen biosynthesis, organism-specific biosystem; Biological oxidations, organism-specific biosystem; C19/C18-Steroid hormone biosynthesis, pregnenolone =>androstenedione => estrone, organism-specific biosystem; C19/C18-Steroid hormone biosynthesis, pregnenolone => androstenedione =>
Function	electron carrier activity; heme binding; metal ion binding; monooxygenase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



oxygen binding; steroid 17-alpha-monooxygenase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA