

Recombinant Human CYP19A1 protein, GST-tagged

Cat. No. CYP19A1-158H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human CYP19A1(48 a.a. - 218 a.a.) fused with GST tag at N-terminal was expressed in Wheat Germ.
Species	Human
Source	Wheat Germ
ProteinLength	48-218 a.a.
Description	<p>This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum and catalyzes the last steps of estrogen biosynthesis. Mutations in this gene can result in either increased or decreased aromatase activity; the associated phenotypes suggest that estrogen functions both as a sex steroid hormone and in growth or differentiation. Alternative splicing results in multiple transcript variants.</p>
Form	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Molecular Mass	44.55 kDa
AA Sequence	<p>PGPGYCMGIGPLISHGRFLWMGIGSACNYYNRVYGEFMRVWISGEETLIISKSSSMF HIMKHNHYSSRFGSKLGL QCIGMHEKGIIFNNNPPELWKTTRPFFMKALSGPGLVRM VTVCAESLKTDLDRLEEVTNESGYVDVLTLLRRVMLD TSNTLFLRIPLDGTEIFTLTS</p>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	Enzyme-linked Immunoabsorbent Assay; Western Blot (Recombinant protein); Antibody Production; Protein Array
Notes	Best use within three months from the date of receipt of this protein.
Storage	Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.
GENE INFORMATION	
Gene Name	CYP19A1 cytochrome P450, family 19, subfamily A, polypeptide 1 [Homo sapiens]
Official Symbol	CYP19A1
Synonyms	CYP19A1; cytochrome P450, family 19, subfamily A, polypeptide 1; CYP19, cytochrome P450, subfamily XIX (aromatization of androgens); cytochrome P450 19A1; ARO; ARO1; aromatase; CPV1; CYAR; P 450AROM; estrogen synthase; estrogen synthetase; cytochrome P-450AROM; microsomal monooxygenase; flavoprotein-linked monooxygenase; cytochrome P450, subfamily XIX (aromatization of androgens); CYP19; CYPXIX; P-450AROM; MGC104309;
Gene ID	1588
mRNA Refseq	NM_000103
Protein Refseq	NP_000094
MIM	107910
UniProt ID	P11511
Chromosome	15q21

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Location	
Pathway	Biological oxidations, organism-specific biosystem; C19/C18-Steroid hormone biosynthesis, pregnenolone => androstenedione => estrone, organism-specific biosystem; C19/C18-Steroid hormone biosynthesis, pregnenolone => androstenedione => estrone, conserved biosystem;
Function	aromatase activity; electron carrier activity; electron carrier activity; heme binding; heme binding; metal ion binding; oxidoreductase activity, acting on paired donors, with incorporation or reduction of molecular oxygen; oxidoreductase activity, acting on paired donors, with incorporation or reduction of molecular oxygen, reduced flavin or flavoprotein as one donor, and incorporation of one atom of oxygen; oxygen binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA