

Recombinant Human CYP2C19 Protein, His-tagged, OVA Conjugated

Cat. No. CYP2C19-2797H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	OVA Conjugated Recombinant Human CYP2C19 Protein (Cys266-Glu281) fused with a N-His tag.
Species	Human
Source	Protein Conjugation
ProteinLength	Cys266-Glu281
Description	<p>This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum and is known to metabolize many xenobiotics, including the anticonvulsive drug mephenytoin, omeprazole, diazepam and some barbiturates. Polymorphism within this gene is associated with variable ability to metabolize mephenytoin, known as the poor metabolizer and extensive metabolizer phenotypes. The gene is located within a cluster of cytochrome P450 genes on chromosome 10q24.</p>
Form	Freeze-dried powder
Molecular Mass	Predicted Molecular Mass: 16 kDa
Purity	> 90%

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	Immunogen; SDS-PAGE; WB.
Stability	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Storage	Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months.
Storage Buffer	PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.
Reconstitution	Reconstitute in PBS or others.
Conjugation	OVA

GENE INFORMATION

Gene Name	CYP2C19 cytochrome P450, family 2, subfamily C, polypeptide 19 [Homo sapiens]
Official Symbol	CYP2C19
Synonyms	CYP2C19; cytochrome P450, family 2, subfamily C, polypeptide 19; CYP2C, cytochrome P450, subfamily IIC (mephenytoin 4 hydroxylase), polypeptide 19; cytochrome P450 2C19; CPCJ; P450IIC19; CYPIIC17; CYPIIC19; cytochrome P450-11A; cytochrome P450-254C; cytochrome P-450 II C; microsomal monooxygenase; xenobiotic monooxygenase; mephenytoin 4-hydroxylase; S-mephenytoin 4-hydroxylase; (R)-limonene 6-monooxygenase; (S)-limonene 6-monooxygenase; (S)-limonene 7-monooxygenase; flavoprotein-linked monooxygenase; cytochrome P450, subfamily IIC (mephenytoin 4-hydroxylase), polypeptide 19; CYP2C; P450C2C;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Gene ID	1557
mRNA Refseq	NM_000769
Protein Refseq	NP_000760
MIM	124020
UniProt ID	P33261

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA