

Active Recombinant Human CYP3A4

Cat. No. CYP3A4-548H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human CYP3A4 was expressed in E. coli.
Species	Human
Source	E.coli
Description	<p>This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases that catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum and its expression is induced by glucocorticoids and some pharmacological agents. This enzyme is involved in the metabolism of approximately half the drugs in use today, including acetaminophen, codeine, cyclosporin A, diazepam and erythromycin. The enzyme also metabolizes some steroids and carcinogens. This gene is part of a cluster of cytochrome P450 genes on chromosome 7q21.1. Previously another CYP3A gene, CYP3A3, was thought to exist; however, it is now thought that this sequence represents a transcript variant of CYP3A4. Alternatively spliced transcript variants encoding different isoforms have been identified.</p>
Bio-activity	12-200 units/mg protein
Molecular Mass	mol wt 57318.7 g/mol
Unit Definition	One unit will convert 1.0 nanomole of testosterone to 6-beta-testosterone per minute at pH 7.4 at 37 °C.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage	?70°C
Concentration	3.5-25 mg protein/mL (protein)50-150 nmol/mL (P450)6-14 nmol/mg protein (specific content)
GENE INFORMATION	
Gene Name	CYP3A4 cytochrome P450, family 3, subfamily A, polypeptide 4 [Homo sapiens (human)]
Official Symbol	CYP3A4
Synonyms	CYP3A4; HLP; CP33; CP34; CYP3A; NF-25; CYP3A3; P450C3; CYP11A3; CYP11A4; P450PCN1; cytochrome P450, family 3, subfamily A, polypeptide 4; cytochrome P450 3A4; nifedipine oxidase; cytochrome P450 3A3; cytochrome P450 HLP; cytochrome P450-PCN1; cytochrome P450 NF-25; albendazole sulfoxidase; quinine 3-monooxygenase; albendazole monooxygenase; P450-III, steroid inducible; glucocorticoid-inducible P450; 1,8-cineole 2-exo-monooxygenase; taurochenodeoxycholate 6-alpha-hydroxylase; cytochrome P450, subfamily IIIA (niphedipine oxidase), polypeptide 3; cytochrome P450, subfamily IIIA (niphedipine oxidase), polypeptide 4; NP_001189784.1; EC 1.14.13.157; EC 1.14.13.32; EC 1.14.13.67; EC 1.14.13.97; NP_059488.2
Gene ID	1576
mRNA Refseq	NM_017460
Protein Refseq	NP_059488
MIM	124010

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



UniProt ID	P08684
Chromosome Location	7q21.1
Pathway	Aflatoxin B1 metabolism; Biological oxidations; Codeine and morphine metabolism
Function	albendazole monooxygenase activity; caffeine oxidase activity; heme binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA