

Active Recombinant Human CYP3A5

Cat. No. CYP3A5-11787H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human CYP3A5 are a well-established source of cDNA-expressed enzymes for studies of metabolism. Baculovirus-insect cell expressed with supplemental cDNA expressed reductase.
Species	Human
Source	Insect Cells
Description	<p>This gene, CYP3A5, encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum and its expression is induced by glucocorticoids and some pharmacological agents. The enzyme metabolizes drugs such as nifedipine and cyclosporine as well as the steroid hormones testosterone, progesterone and androstenedione. This gene is part of a cluster of cytochrome P450 genes on chromosome 7q21.1. This cluster includes a pseudogene, CYP3A5P1, which is very similar to CYP3A5. This similarity has caused some difficulty in determining whether cloned sequences represent the gene or the pseudogene. Multiple alternatively spliced transcript variants have been identified for this gene.</p>
Bio-activity	Catalytic assay: testosterone 6b-hydroxylase Representative catalytic activity: 900 pmole/(mg x min)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Concentration	Available size: 1 nmole P450 in 0.5 ml Representative total protein concentration: 7 mg/ml Representative P450 content: 250 pmole/mg
Storage Buffer	Generally, 50 mM to 100 mM Tris HCl (pH 7.5) or potassium phosphate (pH 7.4) work well. The activity of cytochromes P450 can vary with buffer and its ionic strength.
GENE INFORMATION	
Gene Name	CYP3A5 cytochrome P450, family 3, subfamily A, polypeptide 5 [Homo sapiens (human)]
Official Symbol	CYP3A5
Synonyms	CYP3A5; CP35; PCN3; CYP3A5; P450PCN3; cytochrome P450, family 3, subfamily A, polypeptide 5; cytochrome P450 3A5; cytochrome P450 HLp2; cytochrome P450-PCN3; microsomal monooxygenase; xenobiotic monooxygenase; aryl hydrocarbon hydroxylase; flavoprotein-linked monooxygenase; cytochrome P450, subfamily IIIA (naphthalene oxidase), polypeptide 5; EC 1.14.14.1
Gene ID	1577
mRNA Refseq	NM_000777
Protein Refseq	NP_000768
MIM	605325
UniProt ID	P20815
Chromosome Location	7q21.1

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Pathway	Biological oxidations; Chemical carcinogenesis; Cytochrome P450 - arranged by substrate type
Function	aromatase activity; electron carrier activity; heme binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA