

Active Recombinant Human CYP4F3 Protein

Cat. No. CYP4F3-21H Lot. No. (See product label)

SPECIFICATION

Product Overview Recombinant human CYP4F3B and human CYP-reductase without tag was coexpressed in Escherichia coli.
Amount: 0.5 nmol cytochrome P450

Species Human

Source E.coli

Description This gene, CYP4F3, encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum. The enzyme starts the process of inactivating and degrading leukotriene B₄, a potent mediator of inflammation. This gene is part of a cluster of cytochrome P450 genes on chromosome 19. Another member of this family, CYP4F8, is approximately 18 kb away. Several transcript variants encoding two different isoforms have been found for this gene.

Bio-activity Cytochrome c Reductase Activity: 435 nmol/min/mg protein
P450 Activity Data(Unless otherwise stated, all assays are carried out at 37 centigrade in 100 mM potassium phosphate buffer (pH 7.4) containing 5 mM magnesium chloride and an NADPH generating system [5 mM glucose 6-phosphate, 1 mM NADP⁺, 1 U/ml glucose 6-phosphate dehydrogenase])
Activity: Leukotriene B₄ ω-hydroxylase

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Linear with time up to: 15 min(Determined at 10 μ M substrate, using a P450 concentration of 8 pmol/ml)
 Linear with P450 up to: 20 pmol/ml(Determined at 10 μ M substrate, using an incubation time of 5 min)
 Vmax: 6.1 pmol/min/pmol CYP
 Km: 2.2 μ M

Usage For laboratory (research) purposes only.

Storage Store at -80 centigrade. Avoid frequent temperature changes. Thaw on ice.

Concentration
 P450 Concentration: 1.0 nmol/ml
 Protein Concentration: 10.0 mg/ml
 Specific P450 Content: 100 pmol/mg protein

Storage Buffer 50 mM Tris-acetate (pH 7.6), 250 mM sucrose, 0.25 mM EDTA

GENE INFORMATION

Gene Name CYP4F3 cytochrome P450 family 4 subfamily F member 3 [Homo sapiens (human)]

Official Symbol CYP4F3

Synonyms CYP4F3; cytochrome P450 family 4 subfamily F member 3; CPF3; CYP4F; LTB4H; CYP1VF3; cytochrome P450 4F3; 20-HETE synthase; 20-hydroxyeicosatetraenoic acid synthase; cytochrome P-450; cytochrome P450, family 4, subfamily F, polypeptide 3; cytochrome P450, subfamily IVF, polypeptide 3 (leukotriene B4 omega hydroxylase); cytochrome P450-LTB-omega; docosahexaenoic acid omega-hydroxylase CYP4F3; leukotriene B4 omega hydroxylase; leukotriene-B(4) 20-monooxygenase 2; leukotriene-B(4) omega-hydroxylase 2; leukotriene-B4 20-monooxygenase; EC 1.14.14.1; EC 1.14.14.79; EC 1.14.14.94

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Gene ID	4051
mRNA Refseq	NM_000896
Protein Refseq	NP_000887
MIM	601270
UniProt ID	Q08477

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA