

Recombinant Rat Ccl3 protein

Cat. No. Ccl3-56R Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Rat Ccl3 protein was expressed in Escherichia coli.
Species	Rat
Source	E.coli
ProteinLength	69
Description	This locus represents a small inducible cytokine. The encoded protein, also known as macrophage inflammatory protein 1 alpha, plays a role in inflammatory responses through binding to the receptors CCR1, CCR4 and CCR5.
Form	Lyophilized from a 0.2µm filtered concentrated solution in 30 % Acetonitrile and 0.1 % TFA.
Bio-activity	Fully biologically active when compared to standard. The biological activity determined by a chemoattract bioassay using human blood monocytes is in a concentration range of 10-100 ng/ml.
Molecular Mass	Approximately 7.9 kDa, a single non-glycosylated polypeptide chain containing 69 amino acids.
AA Sequence	APYGADTPTACCFSYGRQIPRKFIADYFETSSLCSQPGVIFLTKRNRQICADPKETWV QEYITELELNA

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Endotoxin	Less than 0.1 EU/g of rRtMIP-1 α /CCL3 as determined by LAL method.
Purity	>98% by SDS-PAGE and HPLC analysis.
Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70 centigrade as supplied. 1 month, 2 to 8 centigrade under sterile conditions after reconstitution. 3 months, -20 to -70 centigrade under sterile conditions after reconstitution.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1 % BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at \leq -20 centigrade. Further dilutions should be made in appropriate buffered solutions.

GENE INFORMATION

Gene Name	Ccl3
Official Symbol	Ccl3
Synonyms	CCL3; chemokine (C-C motif) ligand 3; C-C motif chemokine 3; MIP-1-alpha; small inducible cytokine A3; small-inducible cytokine A3; macrophage inflammatory protein 1-alpha; Macrophage inflammatory protein 1 alpha (Small inducible cytokine A3); Scya3; MIP-1a;
Gene ID	25542
mRNA Refseq	NM_013025
Protein Refseq	NP_037157

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



UniProt ID

P50229

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA