

Active Recombinant Mouse Cd19 protein, His-tagged, Biotinylated

Cat. No. Cd19-3308MB Lot. No. (See product label)

SPECIFICATION

Product Overview	A DNA sequence encoding the extracellular domain of mouse CD19(NP_033974.2)(Met1-Gly287) was expressed with a polyhistidine tag at the C-terminus. The purified protein was biotinylated in vitro.
Species	Mouse
Source	HEK293
ProteinLength	Met1-Gly287
Description	<p>The cluster of differentiation (CD) system is commonly used as cell markers in immunophenotyping. Different kinds of cells in the immune system can be identified through the surface CD molecules which associating with the immune function of the cell. There are more than 32 CD unique clusters and subclusters have been identified. Some of the CD molecules serve as receptors or ligands important to the cell through initiating a signal cascade which then alter the behavior of the cell. Some CD proteins do not take part in cell signal process but have other functions such as cell adhesion. Cluster of differentiation 19 (CD19) is a member of CD system. CD19 is a cell surface molecule that assembles with the antigen receptor of B-cells. This results in a descent in threshold for antigen receptor-dependent stimulation. A simplified view holds that the ability of B-cells to respond to the various antigens in a specific and sensitive manner is achieved in the presence of low-affinity antigen receptors. CD19 primarily acts as a B-cell coreceptor in conjunction with CD21 and</p>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	CD81. The formation of the receptor complex is induced by antigen and CD19, induced by exogenous antigen, has been found cytoplasmic tail phosphorylated and bind to slg.
Predicted N Terminal	Gly 17
Form	Lyophilized from sterile PBS, pH 7.4. Please contact us for any concerns or special requirements. Normally 5%-8% trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization.
Bio-activity	Testing in progress
Molecular Mass	The recombinant mouse CD19 consists of 282 amino acids and predicts a molecular mass of 31 kDa.
Endotoxin	<1.0 EU per µg protein as determined by the LAL method.
Purity	>90 % as determined by SDS-PAGE.
Stability	Samples are stable for up to twelve months from date of receipt at -20°C to -80°C.
Storage	Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 mg/ml. Centrifuge the vial at 4°C before opening to recover the entire contents.
Shipping	In general, recombinant proteins are provided as lyophilized powder which are shipped at ambient temperature. Bulk packages of recombinant proteins are provided as frozen liquid. They are shipped out with blue ice unless customers require otherwise.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Conjugation Biotin

GENE INFORMATION

Gene Name Cd19

Official Symbol Cd19

Synonyms AW495831 Protein, Mouse

Gene ID 12478

mRNA Refseq NM_009844.2

Protein Refseq NP_033974.2

UniProt ID Q3TQG5

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA