

Recombinant Mouse Clusterin

Cat. No. Clu-1867M **Lot. No.** (See product label)

SPECIFICATION

Product Overview Recombinant Mouse Clusterin was expressed in *HEK293*.

Species Mouse

Source HEK293

Description

Clusterin mRNA and Clusterin protein are shown to increase with androgen treatment. Binding of clusterin to the LDL-Receptor plays a role in the pathogenesis of membranous glomerulonephritis. Clusterin is down regulated in CaP in association with matched benign controls. Clusterin is involved in cellular senescence and tumorigenesis. Clusterin is involved in photo-oxidative cell death pathway. Clusterin is a functional tumor marker for the diagnosis of pediatric large cell lymphoma. Clusterin is activated in low pH. Clusterin is involved in the inhibition of NF-kappaB signaling through stabilization of IkappaBs thus results in suppression of tumor cell motility. N-terminal deletion of clusterin is vital for its alterations of biogenesis in esophageal squamous cell carcinoma. Add of deionized H₂O to a conc. of 0.5mg/ml and let the lyophilized pellet dissolve completely.

Amino Acid Sequence

EQEVSDNELQ ELSTQGSRYI NKEIQNAVQG VKHIKT LIEK TNAERKSLLN
 SLEEAKKKKE DALEDTRDSE MKLKAFPEVC NETMMALWEE CKPCLKHTCM
 KFYARVCRSG SGLVGQQL EE FLNQSSPFYF WMNGDRIDSL LESDRQQSQV
 LDAMQDSFAR ASGIIDTLFQ DRFFARELHD PHYFSPIGFP HKRPHFLYPK
 SRLVRSLMSP SHYGPPSFHN MFQPPFEMIH QAQQAMDVQL HSPAFQFPDV
 DFLREGEDDR TVCKEIRRNS TGCLKMKGQC EKCQEILSVD CSTNNPAQAN

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

LRQELNDSLQ VAERLTEQYK ELLQSFQSKM LNTSSLLEQL NDQFNWVSQL
 ANLTQGEDKY YLRVSTVTTH SSDSEVPSRV TEVVVKLFDS DPITVVLPEE
 VSKDNPKFMD TVA EKALQEY RRKSRAE.

Physical Appearance White lyophilized (freeze-dried) powder.

Purity Greater than 95% as determined by SDS PAGE.

Formulation Lyophilized from 0.5 mg/ml containing 20mM Tris pH 7.5 and 20mM NaCl.

Stability Store lyophilized protein at -20°C. Aliquot the product after reconstitution to avoid repeated freezing/thawing cycles. Reconstituted protein can be stored at 4°C for a limited period of time; it does not show any change after two weeks at 4°C. The lyophilized protein remains stable until the expiry date when stored at -20°C.

GENE INFORMATION

Gene Name [Clu clusterin \[Mus musculus \]](#)

Synonyms Clu; clusterin; Cli; ApoJ; Sgp2; SP-40; Sgp-2; Sugg-2; AI893575; D14Ucla3; Apolipoprotein J; complement lysis inhibitor; testosterone repressed prostate message; testosterone repressed prostate message-2

Gene ID [12759](#)

mRNA Refseq [NM_013492](#)

Protein Refseq [NP_038520](#)

UniProt ID [Q06890](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Chromosome Location	14 28.0cM
Function	protein binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA