

Active Recombinant Mouse Cx3cl1 Protein, His-tagged

Cat. No. Cx3cl1-951M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Mouse Cx3cl1 (Accession # O35188) Gln25-Arg337, fused with a C-terminal 6-His tag, was produced in Spodoptera frugiperda, Sf 21 (baculovirus)-derived.
Species	Mouse
Source	Sf21 Cells
ProteinLength	Gln25-Arg337
Predicted N Terminal	No results obtained: Gln25 predicted
Form	Lyophilized from a 0.2 µ filtered solution in PBS with BSA as a carrier protein.
Bio-activity	Measured by its ability to chemoattract freshly isolated human peripheral blood lymphocytes (PBL).The ED50 for this effect is typically 0.2 - 0.6 µg/mL.Measured by its ability to chemoattract BaF3 mouse pro-B cells transfected with human CX3CR1.The ED50 for this effect is typically 0.03 - 0.12 µg/mL.
Molecular Mass	Recombinant Mouse Cx3cl1, His-tagged has a calculated MW of 34 kDa. In SDS-PAGE migrates as 90 kDa, reducing conditions.
Purity	>97%, by SDS-PAGE under reducing conditions and visualized by silver stain.
Storage	Avoid repeated freeze-thaw cycles. No activity loss was observed after storage at: In

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

lyophilized state for 1 year (4°C); After reconstitution under sterile conditions for 3 months (-70°C).

GENE INFORMATION

Gene Name Cx3cl1 chemokine (C-X3-C motif) ligand 1 [*Mus musculus*]

Official Symbol Cx3cl1


Synonyms CX3CL1; chemokine (C-X3-C motif) ligand 1; fractalkine; neurotactin; C-X3-C motif chemokine 1; small-inducible cytokine D1; CX3C membrane-anchored chemokine; small inducible cytokine subfamily D, 1; CX3C; Cxc3; Scyd1; ABCD-3; AB030188; AI848747; D8Bwg0439e;

Gene ID 20312

mRNA Refseq NM_009142

Protein Refseq NP_033168

MIM

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA