

Recombinant Mouse Cxcl16 Protein, His-tagged

Cat. No. Cxcl16-884M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Mouse Cxcl16 Protein (Asn27-Trp201) with His tag was expressed in E. coli.
Species	Mouse
Source	E.coli
ProteinLength	Asn27-Trp201
Description	Enables chemokine activity; low-density lipoprotein particle receptor activity; and scavenger receptor activity. Involved in T cell chemotaxis and cellular response to lipopolysaccharide. Located in extracellular space. Is integral component of membrane. Is expressed in bladder; female associated reproductive structure; hindbrain meninges; male associated reproductive structure; and spinal cord meninges. Orthologous to human CXCL16 (C-X-C motif chemokine ligand 16).
Form	Freeze-dried powder
Molecular Mass	Predicted Molecular Mass: 49.1 kDa; Accurate Molecular Mass: \
Purity	> 90%
Applications	Positive Control; Immunogen; SDS-PAGE; WB.
Stability	The thermal stability is described by the loss rate. The loss rate was determined by

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Storage

Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months.

Storage Buffer

20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Reconstitution

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

GENE INFORMATION

Gene Name

[Cxcl16 chemokine \(C-X-C motif\) ligand 16 \[Mus musculus \(house mouse\) \]](#)

Official Symbol

[Cxcl16](#)

Synonyms

CXCL16; chemokine (C-X-C motif) ligand 16; C-X-C motif chemokine 16; SR-PSOX/CXCL16; Cxc chemokine ligand 16; small-inducible cytokine B16; transmembrane chemokine CXCL16; zinc finger, MYND-type containing 15; scavenger receptor for phosphatidylserine and oxidized low density lipoprotein; SR-PSOX; Zmynd15; AV290116; BB024863; CXCL16v1; CXCL16v2; 0910001K24Rik;

Gene ID

[66102](#)

mRNA Refseq

[NM_023158](#)

Protein Refseq

[NP_075647](#)


 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID

Q8BSU2



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA