

## Recombinant Human DCLK2 Protein, GST-tagged

Cat. No. DCLK2-2394H Lot. No. (See product label)

### SPECIFICATION

|                         |   |
|-------------------------|---|
| <b>Product Overview</b> | Human DCLK2 full-length ORF ( AAH32726.1, 1 a.a. - 695 a.a.) recombinant protein with GST-tag at N-terminal.  |
| <b>Species</b>          | Human   |
| <b>Source</b>           | Wheat Germ  |
| <b>Description</b>      | <p>This gene encodes a member of the protein kinase superfamily and the doublecortin family. The protein encoded by this gene contains two N-terminal doublecortin domains, which bind microtubules and regulate microtubule polymerization, a C-terminal serine/threonine protein kinase domain, which shows substantial homology to Ca<sup>2+</sup>/calmodulin-dependent protein kinase, and a serine/proline-rich domain in between the doublecortin and the protein kinase domains, which mediates multiple protein-protein interactions. The microtubule-polymerizing activity of the encoded protein is independent of its protein kinase activity. Mouse studies show that the DCX gene, another family member, and this gene share function in the establishment of hippocampal organization and that their absence results in a severe epileptic phenotype and lethality, as described in human patients with lissencephaly. Multiple alternatively spliced transcript variants have been identified. [provided by RefSeq, Sep 2010]</p> |
| <b>Molecular Mass</b>   | 102.5 kDa   |
| <b>AA Sequence</b>      | MASTRSIELEHFEERDKRPRPGSRRGAPSSSSGGSSSSGPKGNGLIPSPAHSAHCSF   |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

YRTRTLQALSSEKKAKKARFYRNGDRYFKGLVFAISSDRFRSFDALLIELTRSLSDNV  
 NLPQGVRTIYTIDGSRKVTSLDELLEGESYVCASNEPFRKVDYTKNINPNWSVNIKG  
 GTSRALAAASSVKSEVKESKDFIKPKLVTVIRSGVKPRKAVRILLNKKTAHSFEQVLT  
 DITEAIKLDSGVVKRLCTLDGKQVTCLQDFFGDDVFIACGPEKFRYAQDDFVLDHS  
 ECRVLKSSYSRSSAVKYSGSKSPGPSRRSKSPASVNGTPSSQLSTPKSTKSSSSSP  
 TSPGSRGLKISAHGRSSSNVNGGPELDRCSPEGVNGNRCSESSTLLEKYKIGKVI  
 GDGNFAVVKECIDRSTGKEFALKIIDKAKCCGKEHLIENEVSILRRVKHPNIIMLVEEM  
 ETATELFLVMELVKGGDLFDAITSSTKYTERDGSAMVYNLANALRYLHGLSIVHRDIK  
 PENLLVCEYPDGTKSLKLGDFGLATVVEGPLYTVCGTPTYVAPEIIAETGYGLKVDIW  
 AAGVITYILLCGFPFRSENNLQEDLFDQILAGKLEFPAPYWDNITDSAKELISQMLQV  
 NVEARCTAGQILSHPWVSDDASQENNMQAEVTGKLGKQHFNNALPKQNSTTTGVSVI  
 MFDLTV

**Applications**

Enzyme-linked Immunoabsorbent Assay  
 Western Blot (Recombinant protein)  
 Antibody Production  
 Protein Array

**Notes**

Best use within three months from the date of receipt of this protein.

**Storage**

Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.

**Storage Buffer**

50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

## GENE INFORMATION

**Gene Name**

DCLK2 doublecortin-like kinase 2 [ Homo sapiens ]

**Official Symbol**

DCLK2

**Synonyms**

DCLK2; doublecortin-like kinase 2; DCAMKL2, doublecortin and CaM kinase like 2;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



serine/threonine-protein kinase DCLK2; DCDC3; DCDC3B; DCK2; MGC45428;  
CaMK-like CREB regulatory kinase 2; doublecortin and CaM kinase-like 2;  
doublecortin-like and CAM kinase-like 2; doublecortin domain-containing protein 3B;  
CL2; CLIK2; CLICK2; DCAMKL2; CLICK-II; DKFZp761I032;

**Gene ID** 166614

**mRNA Refseq** NM\_001040260

**Protein Refseq** NP\_001035350

**MIM** 613166

**UniProt ID** Q8N568

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA