

Recombinant Human DCN Protein, His-tagged

Cat. No. DCN-815H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human DCN protein with His tag was expressed in HEK293.
Species	Human
Source	HEK293
Description	<p>This gene encodes a member of the small leucine-rich proteoglycan family of proteins. Alternative splicing results in multiple transcript variants, at least one of which encodes a preproprotein that is proteolytically processed to generate the mature protein. This protein plays a role in collagen fibril assembly. Binding of this protein to multiple cell surface receptors mediates its role in tumor suppression, including a stimulatory effect on autophagy and inflammation and an inhibitory effect on angiogenesis and tumorigenesis. This gene and the related gene biglycan are thought to be the result of a gene duplication. Mutations in this gene are associated with congenital stromal corneal dystrophy in human patients.</p>
Form	Lyophilized
Molecular Mass	38.8 kDa
AA Sequence	<p>MKATIILLLLAQVSWAGPFQQRGLDFDFMLEDEASGIGPEVPDDRDFEPSLGPVCPFR CQCHLRVVQCSDLGLDKVPKDLPPDTLLDLQNNKITEIKDGDFFKNLKNLHALILVNN KISKVSPGAFPLVKLERLYLSKNQLKELPEKMPKTLQELRAHENEITKVRKVTFNGL NQMIVIELGTNPLKSSGIENGAFQGMKKLSYIRIADTNITSIPQGLPPSLTELHLDGNKI SRVDAASLKGLNNLAKLGLSFNSISAVDNGSLANTPHLRELHLDNNKLTRVPGGLAE</p>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

HKYIQVVYLHNNNISVVGSSDFCPPGHNTKKASYSGVSLFSNPVQYWEIQPSTFRCV
YVRSAILGNYK

Purity > 98%

Applications Migration Assay; ELISA; FACS; FC;

Stability This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.

Storage At -20 centigrade.

Concentration 1 mg/mL

Storage Buffer PBS (pH 7.4-7.5). Sterile-filtered colorless solution.

Reconstitution Reconstitute in sterile distilled H₂O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.

GENE INFORMATION

Gene Name DCN decorin [*Homo sapiens* (human)]

Official Symbol DCN

Synonyms DCN; decorin; decorin proteoglycan; DSPG2; SLRR1B; PG-S2; bone proteoglycan II; proteoglycan core protein; small leucine-rich protein 1B; dermatan sulphate proteoglycans II; CSCD; PG40; PGII; PGS2;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Gene ID	1634
mRNA Refseq	NM_001920
Protein Refseq	NP_001911
MIM	125255
UniProt ID	P07585

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA