

Recombinant Human DDX3X 293 Cell Lysate

Cat. No. DDX3X-7007HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for DEAD (Asp-Glu-Ala-Asp) box polypeptide 3, X-linked (DDX3X) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	DDX3X DEAD (Asp-Glu-Ala-Asp) box polypeptide 3, X-linked [Homo sapiens]
Official Symbol	DDX3X
Synonyms	DDX3X; DEAD (Asp-Glu-Ala-Asp) box polypeptide 3, X-linked; DDX3, DEAD/H (Asp Glu Ala Asp/His) box polypeptide 3; ATP-dependent RNA helicase DDX3X; DBX; DDX14; HLP2; CAP-Rf; DEAD/H box-3; DEAD box, X isoform; helicase like protein 2; helicase-like protein 2; DEAD box protein 3, X-chromosomal; DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 3; DDX3;
Gene ID	1654
mRNA Refseq	NM_001193416
Protein Refseq	NP_001180345
MIM	300160
UniProt ID	O00571
Chromosome Location	Xp11.3-p11.23
Pathway	RIG-I-like receptor signaling pathway, organism-specific biosystem; RIG-I-like receptor signaling pathway, conserved biosystem; TNF-alpha/NF-kB Signaling Pathway, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

ATP binding; ATP-dependent RNA helicase activity; DNA binding; RNA binding; helicase activity; hydrolase activity; nucleotide binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA