

Recombinant Human DEFB103A protein

Cat. No. DEFB103A-84H Lot. No. (See product label)

SPECIFICATION

Product Overview Recombinant Human DEFB103A protein was expressed in Escherichia coli.

Species Human

Source E.coli

ProteinLength 45

Description

Defensins (alpha and beta) are cationic peptides with antimicrobial activity against Gram-negative and Gram-positive bacteria, fungi, and enveloped viruses. They are 2-6 kDa proteins and take important roles in innate immune system. On the basis of their size and pattern of disulfide bonding, mammalian defensins are classified into alpha, beta and theta categories. β -Defensins contain a six-cysteine motif that forms three intra-molecular disulfide bonds. Four human β -defensins have been identified and they are expressed on some leukocytes and at epithelial surfaces. Because β -defensins is cationic peptides, they can therefore interact with the membrane of invading microbes, which are negative due to lipopolysaccharides (LPS) and lipoteichoic acid (LTA) found in the cell membrane. Especially, they have higher affinity to the binding site compared to Ca^{2+} and Mg^{2+} ions. Furthermore, they can affect the stability of the membrane.

Form

Lyophilized from a 0.2 μm filtered concentrated solution in 20 mM PB, pH 7.4, 130 mM NaCl.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Bio-activity	Fully biologically active when compared to standard. The ED50 as determined by anti-microbial activity against E.coli. is less than 30 µg/ml, corresponding to a specific activity of > 33.3 IU/mg.
Molecular Mass	Approximately 5.2 kDa, a single non-glycosylated polypeptide chain containing 45 amino acids.
AA Sequence	GIINTLQKYYCRVRGGRCVLSCLPKKEEQIGKCSTRGRKCCRKK
Endotoxin	Less than 1 EU/g of rHuBD-3 as determined by LAL method.
Purity	>98% by SDS-PAGE and HPLC analysis.
Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70 centigrade as supplied. 1 month, 2 to 8 centigrade under sterile conditions after reconstitution. 3 months, -20 to -70 centigrade under sterile conditions after reconstitution.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1 % BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at ≤-20 centigrade. Further dilutions should be made in appropriate buffered solutions.

GENE INFORMATION

Gene Name	DEFB103A
Official Symbol	DEFB103A
Synonyms	DEFB103A; defensin, beta 103A; DEFB3, DEFB103, defensin, beta 3; beta-defensin

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

103; DEFB 3; HBD 3; HBD3; HBP 3; HBP3; beta-defensin 3; defensin, beta 3; defensin, beta 103; defensin-like protein; BD-3; DEFB3; HBP-3; hBD-3; DEFB-3; DEFB103;

Gene ID [414325](#)


mRNA Refseq [NM_001081551](#)

Protein Refseq [NP_001075020](#)

MIM [606611](#)

UniProt ID [P81534](#)

**SDS-PAGE of
DEFB103A-84H**



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA