

Recombinant Human DFFA, His-tagged

Cat. No. DFFA-28396TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant full length Human ICAD protein with N-terminal His-tag, MW 38.7kDa.
Species	Human
Source	E.coli
Description	<p>Apoptosis is a cell death process that removes toxic and/or useless cells during mammalian development. The apoptotic process is accompanied by shrinkage and fragmentation of the cells and nuclei and degradation of the chromosomal DNA into nucleosomal units. DNA fragmentation factor (DFF) is a heterodimeric protein of 40-kD (DFFB) and 45-kD (DFFA) subunits. DFFA is the substrate for caspase-3 and triggers DNA fragmentation during apoptosis. DFF becomes activated when DFFA is cleaved by caspase-3. The cleaved fragments of DFFA dissociate from DFFB, the active component of DFF. DFFB has been found to trigger both DNA fragmentation and chromatin condensation during apoptosis. Two alternatively spliced transcript variants encoding distinct isoforms have been found for this gene.</p>
Conjugation	HIS
Form	Liquid
Purity	>90% by SDS-PAGE
Storage buffer	Preservative: None Constituents: 10% Glycerol, 20mM Tris HCl, 1mM DTT, pH 8

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage	Store at +4°C short term (1-2 weeks). Aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
Sequences of amino acids	<p>MGSSHHHHHH SSGLVPRGSH MEVTGDAGVP ESGEIRTLKP CLLRRNYSRE QHGVAASCLE DLRSKACDIL AIDKSLTPVT LVLAEDGTIV DDDDYFLCLP SNTKFVALAS NEKWAYNNSD GGTAWISQES FDVDETDSGA GLKWKNVARQ LKEDLSSIIL LSEEDLQMLV DAPCSDLAQE LRQSCATVQR LQHTLQQVLD QREEVRQSKQ LLQLYLQALE KEGSLLSKQE ESKAAFGEV DAVDTGISRE TSSDVALASH ILTALREKQA PELSLSSQDL ELVTKEDPKA LAVALNWDIK KTETVQEACE WELALRLQQT QSLHSLRSIS ASKASPPGDL QNPKRARQDP T</p>
Sequence Similarities	Contains 1 CIDE-N domain.
Full Length	Full L.
GENE INFORMATION	
Gene Name	DFFA DNA fragmentation factor, 45kDa, alpha polypeptide [Homo sapiens]
Official Symbol	DFFA
Synonyms	DFFA; DNA fragmentation factor, 45kDa, alpha polypeptide; DNA fragmentation factor, 45 kD, alpha polypeptide; DNA fragmentation factor subunit alpha; DFF 45; DFF1; DFF45; DNA fragmentation factor; 45 kD; alpha subunit; ICAD;
Gene ID	1676
mRNA Refseq	NM_004401
Protein Refseq	NP_004392

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



MIM	601882
Uniprot ID	O00273
Chromosome Location	1p36.3-p36.2
Pathway	Activation of DNA fragmentation factor, organism-specific biosystem; Apoptosis, organism-specific biosystem; Apoptosis, organism-specific biosystem; Apoptosis, conserved biosystem; Apoptosis, organism-specific biosystem;
Function	deoxyribonuclease activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA