

Recombinant Human DKK1, His-tagged, Biotinylated

Cat. No. DKK1-277H Lot. No. (See product label)

SPECIFICATION

Product Overview	Human DKK1 /DKK-1 Protein, Biotinylated (Biotinylated DKK1) Thr 32 - His 266, was labeled with biotin based on rhDKK1 Protein, which was produced in human 293 cells (HEK293).
Species	Human
Source	HEK293
ProteinLength	32-266 a.a.
Description	This gene encodes a protein that is a member of the dickkopf family. It is a secreted protein with two cysteine rich regions and is involved in embryonic development through its inhibition of the WNT signaling pathway. Elevated levels of DKK1 in bone marrow plasma and peripheral blood is associated with the presence of osteolytic bone lesions in patients with multiple myeloma.?
Form	Lyophilized from 0.22 µm filtered solution in PBS, pH7.4. Normally Trehalose are added as protectants before lyophilization.
Molecular Mass	Biotinylated DKK1, fused with 6xHis tag at the C-terminus, has a calculated MW of 25.8 kDa. The predicted N-terminus is Thr 32 or Ser 35. DTT-reduced Protein migrates as 40 kDa due to glycosylation.
Endotoxin	Less than 1.0 EU per µg of the Biotinylated DKK1 by the LAL method.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	>95% as determined by reduced SDS-PAGE.
Storage	Avoid repeated freeze-thaw cycles. No activity loss was observed after storage at: In lyophilized state for 1 year (4°C); After reconstitution under sterile conditions for 3 months (-70°C).
Conjugation	Biotin

GENE INFORMATION

Gene Name	DKK1 dickkopf 1 homolog (Xenopus laevis) [Homo sapiens]
Official Symbol	DKK1
Synonyms	DKK1; dickkopf 1 homolog (Xenopus laevis); dickkopf (Xenopus laevis) homolog 1; dickkopf-related protein 1; DKK 1; SK; hDkk-1; dickkopf-1 like; dickkopf related protein-1; DKK-1;
Gene ID	22943
mRNA Refseq	NM_012242
Protein Refseq	NP_036374
MIM	605189
UniProt ID	O94907
Chromosome Location	10q11.2
Pathway	Direct p53 effectors, organism-specific biosystem; Presenilin action in Notch and Wnt

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



signaling, organism-specific biosystem; Regulation of Wnt-mediated beta catenin signaling and target gene transcription, organism-specific biosystem; Validated targets of C-MYC transcriptional repression, organism-specific biosystem; Wnt Signaling Pathway NetPath, organism-specific biosystem; Wnt signaling network, organism-specific biosystem; Wnt signaling pathway, organism-specific biosystem;

Function

growth factor activity; low-density lipoprotein particle receptor binding; protein binding; receptor antagonist activity; signal transducer activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA