

Active Recombinant Mouse Dcn protein, His-tagged

Cat. No. Dcn-1887M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Mouse Dcn(Gly17-Lys354 & Asp31-Lys354) fused with His tag at C-terminal was expressed in NS0.
Species	Mouse
Source	Mammalian Cells
Predicted N Terminal	Gly17 & Asp31
Form	Lyophilized from a 0.2 µm filtered solution in PBS.
Bio-activity	5 g/mL of Recombinant Mouse Decorin can significantly delay the rate of collagen fibrillogenesis.
Molecular Mass	Predicted Molecular Mass: 39 kDa;SDS-PAGE: 40-45 kDa, reducing conditions
Endotoxin	<0.10 EU per 1 µg of the protein by the LAL method.
Purity	>90%, by SDS-PAGE under reducing conditions and visualized by silver stain.
Stability	Avoid repeated freeze-thaw cycles.12 months from date of receipt, -20 to -70 centigrade as supplied.1 month, 2 to 8 centigrade under sterile conditions after reconstitution.3 months, -20 to -70 centigrade under sterile conditions after reconstitution.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Reconstitution Reconstitute at 100 µg/mL in sterile PBS.

GENE INFORMATION

Gene Name [Dcn decorin \[Mus musculus \]](#)

Official Symbol [Dcn](#)

Synonyms DCN; decorin; bone proteoglycan II; DC; PG40; PGII; PGS2; mDcn; DSPG2; SLRR1B;

Gene ID [13179](#)

mRNA Refseq [NM_001190451](#)

Protein Refseq [NP_001177380](#)

MIM

UniProt ID [P28654](#)

Chromosome Location 10 C3; 10 50.27 cM

Pathway TGF-beta signaling pathway, organism-specific biosystem; TGF-beta signaling pathway, conserved biosystem;

Function collagen binding; extracellular matrix binding; glycosaminoglycan binding; protein N-terminus binding;

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA