

## Recombinant Mouse Dhh protein

Cat. No. Dhh-393M    Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Mouse Dhh protein was expressed in Escherichia coli.
<b>Species</b>	Mouse
<b>Source</b>	E.coli
<b>ProteinLength</b>	177
<b>Description</b>	<p>This gene encodes a member of the hedgehog family. The hedgehog gene family encodes signaling molecules that play an important role in regulating morphogenesis. This protein is predicted to be made as a precursor that is autocatalytically cleaved; the N-terminal portion is soluble and contains the signalling activity while the C-terminal portion is involved in precursor processing. More importantly, the C-terminal product covalently attaches a cholesterol moiety to the N-terminal product, restricting the N-terminal product to the cell surface and preventing it from freely diffusing throughout the organism. Defects in this protein have been associated with partial gonadal dysgenesis (PGD) accompanied by minifascicular polyneuropathy. This protein may be involved in both male gonadal differentiation and perineurial development.</p>
<b>Form</b>	Lyophilized from a 0.2µm filtered concentrated solution in PBS, pH 7.4, 1 mM DTT, 0.05 % Tween-80.
<b>Bio-activity</b>	Fully biologically active when compared to standard. The ED50 as determined by its ability to induce alkaline phosphatase production by murine MC3T3-E1 cells is 5-20

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	µg/ml.
<b>Molecular Mass</b>	Approximately 20.0 kDa, a single non-glycosylated polypeptide chain containing 177 amino acids.
<b>AA Sequence</b>	IIGPGRGPVGRRRYVRKQLVPLLYKQFVPSMPERTLGASGPAEGRVTRGSEFRDL VPNYPDIIFKDEENSGADRLMTERCKERVNALAIAVMMNWPGVRLRVTEGWDED GHHAQDSLHYEGRALDITTSRDRNKYGLLARLAVEAGFDWVYYESRNHIHVSVKA DNSLAVRAGG
<b>Endotoxin</b>	Less than 0.1 EU/µg of rMuDHH C23II as determined by LAL method.
<b>Purity</b>	>98% by SDS-PAGE and HPLC analysis.
<b>Storage</b>	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70 centigrade as supplied. 1 month, 2 to 8 centigrade under sterile conditions after reconstitution. 3 months, -20 to -70 centigrade under sterile conditions after reconstitution.
<b>Reconstitution</b>	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1 % BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at ≤-20 centigrade. Further dilutions should be made in appropriate buffered solutions.

## GENE INFORMATION

<b>Gene Name</b>	Dhh
<b>Official Symbol</b>	Dhh


 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Synonyms</b>	DHH; desert hedgehog; desert hedgehog protein; HHG-3; C78960; MGC73610;
<b>Gene ID</b>	13363
<b>mRNA Refseq</b>	NM_007857
<b>Protein Refseq</b>	NP_031883
<b>UniProt ID</b>	Q61488

**SDS-PAGE of Dhh-393M**



 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA