

Recombinant Human EHMT2 293 Cell Lysate

Cat. No. EHMT2-6684HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for euchromatic histone-lysine N-methyltransferase 2 (EHMT2), transcript variant NG36/G9a-SPI is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name EHMT2 euchromatic histone-lysine N-methyltransferase 2 [Homo sapiens]

Official Symbol EHMT2

Synonyms

EHMT2; euchromatic histone-lysine N-methyltransferase 2; BAT8, C6orf30, chromosome 6 open reading frame 30 , HLA B associated transcript 8; histone-lysine N-methyltransferase EHMT2; Em:AF134726.3; G9A; KMT1C; NG36/G9a; protein G9a; H3-K9-HMTase 3; G9A histone methyltransferase; HLA-B associated transcript 8; HLA-B-associated transcript 8; lysine N-methyltransferase 1C; ankyrin repeat-containing protein; histone H3-K9 methyltransferase 3; histone-lysine N-methyltransferase, H3 lysine-9 specific 3; BAT8; GAT8; NG36; C6orf30; FLJ35547; DKFZp686H08213;

Gene ID 10919

mRNA Refseq NM_006709

Protein Refseq NP_006700

MIM 604599

UniProt ID Q96KQ7

Chromosome Location 6p21.3

Pathway Gene Expression, organism-specific biosystem; Lysine degradation, organism-

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



specific biosystem; Lysine degradation, conserved biosystem; RNA Polymerase I Promoter Clearance, organism-specific biosystem; RNA Polymerase I Transcription, organism-specific biosystem; RNA Polymerase I Transcription Initiation, organism-specific biosystem; RNA Polymerase I, RNA Polymerase III, and Mitochondrial Transcription, organism-specific biosystem;

Function

histone methyltransferase activity (H3-K27 specific); histone methyltransferase activity (H3-K9 specific); metal ion binding; methyltransferase activity; p53 binding; protein binding; protein-lysine N-methyltransferase activity; transferase activity; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA