

Active Recombinant Human EPO, HlgG1 Fc-tagged

Cat. No. EPO-111H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	The extracellular domain of human cEPO(NP_000790.2)(Pro30-Arg193) (Arg103Glu) is fused to the N-terminus of the Fc region of a human IgG1 was expressed in CHO cell.
Species	Human
Source	CHO
ProteinLength	30-193 a.a.
Description	This gene is a member of the EPO/TPO family and encodes a secreted, glycosylated cytokine composed of four alpha helical bundles. The protein is found in the plasma and regulates red cell production by promoting erythroid differentiation and initiating hemoglobin synthesis. This protein also has neuroprotective activity against a variety of potential brain injuries and antiapoptotic functions in several tissue types
Form	Lyophilized from 0.2 µm-filtered solution in PBS.
Bio-activity	Measured by the dose-dependant stimulation of human megakaryoblastic leukemia cells.
Molecular Mass	44KDa (monomer)
AA Sequence	(Pro30-Arg193) (Arg103Glu)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Endotoxin	<0.06 eu/μg="" as="" determined="" by="" la="">
Purity	>98%, by SDS-PAGE under reducing conditions
Stability	Stable for at least 1 year after receipt when stored at -20°C. Working aliquots are stable for up to 3 months when stored at -20°C.
Reconstitution	Reconstitute at 100 μg/ml in sterile PBS.
Warning	Avoid freeze/thaw cycles.

GENE INFORMATION

Gene Name	EPO erythropoietin [Homo sapiens]
Official Symbol	EPO
Synonyms	EPO; erythropoietin; EP; epoetin; MVCD2; MGC138142;
Gene ID	2056
mRNA Refseq	NM_000799
Protein Refseq	NP_000790
MIM	133170
UniProt ID	P01588
Chromosome Location	7q21

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway

Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; EPO Receptor Signaling, organism-specific biosystem; EPO signaling pathway, organism-specific biosystem; HIF-1-alpha transcription factor network, organism-specific biosystem; HIF-2-alpha transcription factor network, organism-specific biosystem; Hematopoietic cell lineage, organism-specific biosystem;

Function

erythropoietin receptor binding; eukaryotic cell surface binding; hormone activity; protein binding; protein kinase activator activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA