

## Active Recombinant Human EPO Protein

**Cat. No.** EPO-589H    **Lot. No.** (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Human EPO Protein was expressed without tag.
<b>Species</b>	Human
<b>Description</b>	Erythropoietin (EPO), a glycoprotein produced primarily by the kidney, is the principal factor that regulates erythropoiesis by stimulating the proliferation and differentiation of erythroid progenitor cells. The production of EPO by kidney cells is increased in response to hypoxia or anemia. Recombinant EPO has been approved for the treatment of anemia associated with chronic renal failure as well as for anemia of AZT treated AIDS patients.
<b>Form</b>	Sterile Filtered White lyophil
<b>Bio-activity</b>	Fully biologically active when compared to standard. The Specific Activity was measured by the stimulation of reticulocyte production in normocyth-aemic mice and is no less than $1.5 \times 10^5$ IU/mg.
<b>AA Sequence</b>	APPRLICDSRVLERYLLEAKEAENITGCAEHCSLNENITVPDTKVNIFYAWKRMEVG QQAVEVWQGLALLSEAVLRGQALLVNSSQPWEPLQLHVDKAVSGLRSLTLLRALG AQKEAISPPDAASAAPLRITADTFRKLFVYSNFLRGKLLKLYTGEACRTGDR
<b>Endotoxin</b>	Less than 0.01 EU/ $\mu$ g of rHuEPO-a as determined by LAL method.
<b>Purity</b>	> 98% by SDS-PAGE and HPLC analyses.

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Storage** This lyophilized preparation is stable at 2-8 centigrade, but should be kept at -20 centigrade for long term storage, preferably desiccated. Upon reconstitution, the preparation is stable for up to one week at 2-8 centigrade. For maximal stability, apportion the reconstituted preparation into working aliquots and store at -20 to -70 centigrade. Avoid repeated freeze thaw cycles.

**Storage Buffer** Lyophilized from a 0.2 µm filtered concentrated solution in sodium citrate buffer.

**Reconstitution** We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1 % BSA to a concentration of 0.1-1.0 mg/mL.

## GENE INFORMATION

<b>Gene Name</b>	EPO erythropoietin [ Homo sapiens (human) ]
<b>Official Symbol</b>	EPO
<b>Synonyms</b>	EPO; erythropoietin; EP; epoetin; MVCD2; MGC138142;
<b>Gene ID</b>	2056
<b>mRNA Refseq</b>	NM_00799
<b>Protein Refseq</b>	NP_00790
<b>MIM</b>	133170
<b>UniProt ID</b>	P01588


 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



SDS-PAGE



Tel: 1-631-559-9269 1-516-512-3133

Email: [info@creative-biomart.com](mailto:info@creative-biomart.com) Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA