

Recombinant Human ERBB2 Protein, His/GST-tagged, FITC conjugated

Cat. No. ERBB2-176HF **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human ErbB2 Protein cytoplasmic domain (NP_004439.2, 676-1255aa), was expressed in Insect Cells with N-terminal His-tagged GST tag and FITC conjugate.
Species	Human
Source	Insect Cells
ProteinLength	676-1255 aa
Form	Lyophilized
Bio-activity	No Kinase Activity
Molecular Mass	The recombinant human ErbB2 (676-1255)/GST chimera consists of 817 amino acids and predicts a molecular mass of 92 kDa. It migrates as an approximately 100 kDa band in SDS-PAGE under reducing conditions.
N-terminal Sequence Analysis	Gln 26
Endotoxin	< 1.0 EU/ µg of the protein as determined by the LAL method.
Purity	> 75 % as determined by SDS-PAGE

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Characteristic	<p>Disulfide-linked homodimer</p> <p>Labeled with FITC via amines</p> <p>Excitation source: 488 nm spectral line, argon-ion laser</p> <p>Excitation Wavelength: 488 nm</p> <p>Emission Wavelength: 535 nm</p>
Stability	Samples are stable for up to 12 months from date of receipt at -70 centigrade.
Storage	Store it under sterile conditions at -20 to-70 centigrade. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
Storage Buffer	Lyophilized from sterile 20 mM Tris, 500 mM NaCl, 2 mM GSH, 10% gly, pH 8.0, 5%-8% trehalose and mannitol.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.25 µg/µL. Centrifuge the vial at 4 centigrade before opening to recover the entire contents.
Conjugation	FITC

GENE INFORMATION

Gene Name	ERBB2 v-erb-b2 erythroblastic leukemia viral oncogene homolog 2, neuro/glioblastoma derived oncogene homolog (avian) [Homo sapiens]
Official Symbol	ERBB2
Synonyms	ERBB2; v-erb-b2 erythroblastic leukemia viral oncogene homolog 2, neuro/glioblastoma derived oncogene homolog (avian); NGL, v erb b2 avian erythroblastic leukemia viral oncogene homolog 2 (neuro/glioblastoma derived oncogene homolog); receptor tyrosine-protein kinase erbB-2; CD340; HER 2; HER2;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

NEU; herstatin; p185erbB2; proto-oncogene Neu; c-erb B2/neu protein; proto-oncogene c-ErbB-2; metastatic lymph node gene 19 protein; tyrosine kinase-type cell surface receptor HER2; neuroblastoma/glioblastoma derived oncogene homolog; v-erb-b2 avian erythroblastic leukemia viral oncogene homolog 2 (neuro/glioblastoma derived oncogene homolog); NGL; TKR1; HER-2; MLN 19; HER-2/neu;


Gene ID [2064](#)

mRNA Refseq [NM_001005862](#)

Protein Refseq [NP_001005862](#)

MIM [164870](#)

UniProt ID [P04626](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA