

Active Recombinant Human ERBB2 Protein, DDDDK-tagged, Alexa Fluor 555 conjugated

Cat. No. ERBB2-177HAF555 **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Recombinant Human ERBB2 Protein (NP_004439.2, 1-652aa), was expressed in HEK293 cell with C-terminal DDDDK tag and Alexa Fluor 555 conjugate.

Species

Human

Source

HEK293

ProteinLength

1-652 aa

Description

This gene encodes a member of the epidermal growth factor (EGF) receptor family of receptor tyrosine kinases. This protein has no ligand binding domain of its own and therefore cannot bind growth factors. However, it does bind tightly to other ligand-bound EGF receptor family members to form a heterodimer, stabilizing ligand binding and enhancing kinase-mediated activation of downstream signalling pathways, such as those involving mitogen-activated protein kinase and phosphatidylinositol-3 kinase. Allelic variations at amino acid positions 654 and 655 of isoform a (positions 624 and 625 of isoform b) have been reported, with the most common allele, Ile654/Ile655, shown here. Amplification and/or overexpression of this gene has been reported in numerous cancers, including breast and ovarian tumors. Alternative splicing results in several additional transcript variants, some encoding different isoforms and others that have not been fully characterized.

Bio-activity

1. Measured by its binding ability in a functional ELISA. Immobilized Human

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Her2/ERBB2 at 2 µg/mL (100 µL/well) can bind Herceptin, the EC50 of Herceptin is 7.0-30.0 ng/mL.

2. Measured by its ability to block anti-ErbB2 mediated inhibition of BT474 human breast ductal carcinoma cell proliferation. The ED50 for this effect is 0.4-2.4 µg/mL in the presence of 0.6 µg/mL Anti-ErbB2/Her2 Monoclonal Antibody.

Molecular Mass 70 kDa

N-terminal Sequence Analysis Thr 23

Endotoxin < 1.0 EU/ µg protein as determined by the LAL method.

Purity > 95 % as determined by SDS-PAGE

Characteristic Disulfide-linked homodimer
Labeled with Alexa Fluor 555 via amines
With an excitation and emission maximum of 555/565 nm, Alexa Fluor 555 can be efficiently excited using a 543 nm He-Ne laser line and detected under standard TRITC/Cy3 filters.

Storage Samples are stable for up to twelve months from date of receipt at -20 to -80 centigrade
Store it under sterile conditions at -20 to -80 centigrade. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Storage Buffer Lyophilized from sterile PBS, pH 7.4. Normally 5%-8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization.

Shipping At ambient temperature.
Bulk packages of recombinant proteins are provided as frozen liquid. They are

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

shipped out with blue ice unless customers require otherwise.

Conjugation Alexa Fluor 555

GENE INFORMATION

Gene Name ERBB2 erb-b2 receptor tyrosine kinase 2 [Homo sapiens (human)]

Official Symbol ERBB2

Synonyms ERBB2; erb-b2 receptor tyrosine kinase 2; NEU; NGL; HER2; TKR1; CD340; HER-2; MLN 19; HER-2/neu;

Gene ID 2064

mRNA Refseq NM_004448

Protein Refseq NP_004439

MIM 164870

UniProt ID P04626

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA