

# Recombinant Human ERBB2, His-tagged, C13&N15 Labeled

Cat. No. ERBB2-200H Lot. No. (See product label)

## SPECIFICATION

**Product Overview** Recombinant Human HER2/ErbB2 MS Standard Protein (AAA75493, 23-652aa, C13 and N15-labeled, Heavy Labeled), was produced in human 293 cells (HEK293) without tag (produced in fully chemically defined cell culture medium, >99% incorporation).

**Species** Human

**Source** HEK293

**ProteinLength** 23-652 aa

**Description** Human Epidermal growth factor Receptor 2 (HER2) is also called ERBB2, HER-2,HER-2 /neu, NEU, NGL,TKR1 and c-erb B2,and is a protein giving higher aggressiveness in breast cancers. It is a member of the ErbB protein family, more commonly known as the epidermal growth factor receptor family. HER2 is a cell membrane surface-bound receptor tyrosine kinase and is normally involved in the signal transduction pathways leading to cell growth and differentiation. HER2 is thought to be an orphan receptor, with none of the EGF family of ligands able to activate it. Approximately 30% of breast cancers have an amplification of the HER2 gene or overexpression of its protein product. Overexpression of this receptor in breast cancer is associated with increased disease recurrence and worse prognosis. HER2 appears to play roles in development, cancer,communication at the neuromuscular junction andregulation of cell growth and differentiation.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Predicted N Terminal</b>	Thr 23
<b>Form</b>	Lyophilized from 0.22 µm filtered solution in PBS, pH7.4. Normally Mannitol or Trehalose are added as protectants before lyophilization.
<b>Molecular Mass</b>	rh HER2 / ErbB2, Heavy Labeled is fused with polyhistidine tag at the C-terminus, and has a calculated MW of 72.4 kDa. The predicted N-terminus is Thr 23. DTT-reduced Protein migrates as 90-110 kDa in SDS-PAGE due to glycosylation.HER2 / ErbB2, Heavy Lab
<b>Endotoxin</b>	Less than 1.0 EU per µg of the rh HER2 / ErbB2, Heavy Labeled by the LAL method.
<b>Purity</b>	>95% as determined by SDS-PAGE.
<b>Applications</b>	MS Standard Protein
<b>Storage</b>	Avoid repeated freeze-thaw cycles.No activity loss was observed after storage at:In lyophilized state for 1 year (4oC); After reconstitution under sterile conditions for 3 months (-70oC).

## GENE INFORMATION

<b>Gene Name</b>	ERBB2 v-erb-b2 erythroblastic leukemia viral oncogene homolog 2, neuro/glioblastoma derived oncogene homolog (avian) [ Homo sapiens ]
<b>Official Symbol</b>	ERBB2
<b>Synonyms</b>	ERBB2; v-erb-b2 erythroblastic leukemia viral oncogene homolog 2, neuro/glioblastoma derived oncogene homolog (avian); NGL, v erb b2 avian erythroblastic leukemia viral oncogene homolog 2 (neuro/glioblastoma derived oncogene homolog); receptor tyrosine-protein kinase erbB-2; CD340; HER 2; HER2;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

NEU; herstatin; p185erbB2; proto-oncogene Neu; c-erb B2/neu protein; proto-oncogene c-ErbB-2; metastatic lymph node gene 19 protein; tyrosine kinase-type cell surface receptor HER2; neuroblastoma/glioblastoma derived oncogene homolog; v-erb-b2 avian erythroblastic leukemia viral oncogene homolog 2 (neuro/glioblastoma derived oncogene homolog); NGL; TKR1; HER-2; MLN 19; HER-2/neu;

**Gene ID** [2064](#)

**mRNA Refseq** [NM\\_001005862](#)

**Protein Refseq** [NP\\_001005862](#)

**MIM** [164870](#)

**UniProt ID** [P04626](#)


**Chromosome Location** 17q11.2-q12

**Pathway** Adherens junction, organism-specific biosystem; Adherens junction, conserved biosystem; Alpha6-Beta4 Integrin Signaling Pathway, organism-specific biosystem; Axon guidance, organism-specific biosystem; Bladder cancer, organism-specific biosystem; Bladder cancer, conserved biosystem; Calcium signaling pathway, organism-specific biosystem;

**Function** ATP binding; ErbB-3 class receptor binding; Hsp90 protein binding; RNA polymerase I core binding; epidermal growth factor-activated receptor activity; glycoprotein binding; contributes\_to growth factor binding; identical protein binding; nucleotide bindin

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA