

## Recombinant Human ERBB4 cell lysate

Cat. No. ERBB4-001HCL Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Human / Rhesus ErbB4 / HER4 derived in Human Cells. The whole cell lysate is provided in 1X Sample Buffer.
<b>Species</b>	Human
<b>Source</b>	Insect Cells
<b>Preparation method</b>	Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer with cocktail of protease inhibitors. Cell debris was removed by centrifugation and then centrifuged to clarify the lysate. The cell lysate was boiled for 5 minutes in 1 x SDS sample buffer (50 mM Tris-HCl pH 6.8, 12.5% glycerol, 1% sodium dodecylsulfate, 0.01% bromophenol blue) containing 5% b-mercaptoethanol, and lyophilized.
<b>Lysis buffer</b>	Modified RIPA Lysis Buffer: 50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF
<b>Quality control Testing</b>	12.5% SDS-PAGE Stained with Coomassie Blue
<b>Recommended Usage</b>	1. Centrifuge the tube for a few seconds and ensure the pellet at the bottom of the tube.2. Re-dissolve the pellet using 200µL pure water and boiled for 2-5 min.3. Store it at -80°C. Recommend to aliquot the cell lysate into smaller quantities for optimal storage. Avoid repeated freeze-thaw cycles.Notes:The lysate is ready to load on SDS-PAGE for Western blot application. If dissociating conditions are required, add

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

reducing agent prior to heating.

**Stability**

Samples are stable for up to twelve months from date of receipt at -80°C

**Storage Buffer**

50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF

**Storage Instruction**

Lysate samples are stable for 12 months from date of receipt when stored at -80°C. Avoid repeated freeze-thaw cycles. Prior to SDS-PAGE fractionation, boil the lysate for 5 minutes.

## GENE INFORMATION

**Gene Name**

ERBB4 v-erb-a erythroblastic leukemia viral oncogene homolog 4 (avian) [ Homo sapiens ]

**Official Symbol**

ERBB4

**Synonyms**

ERBB4; v-erb-a erythroblastic leukemia viral oncogene homolog 4 (avian); v erb a avian erythroblastic leukemia viral oncogene homolog like 4; receptor tyrosine-protein kinase erbB-4; proto-oncogene-like protein c-ErbB-4; tyrosine kinase-type cell surface receptor HER4; avian erythroblastic leukemia viral (v-erb-b2) oncogene homolog 4; HER4; p180erbB4; MGC138404;

**Gene ID**

2066

**mRNA Refseq**

NM\_001042599

**Protein Refseq**

NP\_001036064

**MIM**

600543

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>UniProt ID</b>	Q15303
<b>Chromosome Location</b>	2q33.3-q34
<b>Pathway</b>	Calcium signaling pathway, organism-specific biosystem; Calcium signaling pathway, conserved biosystem; Downregulation of ERBB4 signaling, organism-specific biosystem; Endocytosis, organism-specific biosystem; Endocytosis, conserved biosystem; ErbB signaling pathway, organism-specific biosystem; ErbB signaling pathway, organism-specific biosystem;
<b>Function</b>	ATP binding; epidermal growth factor receptor binding; nucleotide binding; protein binding; protein homodimerization activity; protein tyrosine kinase activity; receptor activity; receptor signaling protein tyrosine kinase activity; transcription regulatory region DNA binding; transmembrane receptor protein tyrosine kinase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA