

Active Recombinant Mouse Efnb2 protein, His&hFc-tagged

Cat. No. Efnb2-131M Lot. No. (See product label)

SPECIFICATION

Product Overview	Active Recombinant Mouse Efnb2 protein(P52800)(29-227 aa), fused with N-terminal His tag and C-terminal hFc tag, was expressed in HEK293.
Species	Mouse
Source	HEK293
ProteinLength	29-227 aa
Form	PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.
Bio-activity	EphrinB2 (EFNB2), a 40 kDa member of the Ephrin B family, is a pivotal bidirectional signaling molecule ubiquitously expressed in mammals and is crucial in angiogenesis during development and disease progression. Besides, EFNB2 is expressed at abnormally high levels in some neoplasms, such as squamous cell carcinoma of the head and neck and colorectal cancer. Its overexpression is associated with the malignant progression of tumors. Ephrin Type B Receptor 3 (EPHB3) has been identified as an interactor of EFNB2, thus a functional binding ELISA assay was conducted to detect the interaction of recombinant mouse EFNB2 and recombinant mouse EPHB3. Briefly, biotin-linked EFNB2 were diluted serially in PBS, with 0.01% BSA (pH 7.4). Duplicate samples of 100 ul were then transferred to EPHB3-coated microtiter wells and incubated for 1h at 37°C. Wells were washed with PBST 3 times and incubation with Streptavidin-HRP for 30min, then wells were aspirated and washed 5 times. With the addition of substrate solution, wells were incubated 15-25

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



minutes at 37°C. Finally, add 50 µstop solution to the wells and read at 450 nm immediately. The binding activity of recombinant mouse EFNB2 and recombinant mouse EPHB3 was shown, the EC50 for this effect is 6.3 ug/mL.

Molecular Mass 48.8kDa

Endotoxin <1.0EU per 1µg (determined by the LAL method).

Purity > 95%

Storage Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Store at -20°C for 12 months. Aliquot and store at -80°C for 12 months.

Reconstitution Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

GENE INFORMATION

Gene Name [Efnb2 ephrin B2 \[Mus musculus \]](#)

Official Symbol [Efnb2](#)

Synonyms EFNB2; ephrin B2; ephrin-B2; HTK ligand; EPH-related receptor tyrosine kinase ligand 5; Epl5; ELF-2; Eplg5; Htk-L; Lerk5; LERK-5; NLERK-1;

Gene ID [13642](#)

mRNA Refseq [NM_010111](#)


Protein Refseq [NP_034241](#)

Tel: 1-631-559-9269 1-516-512-3133


Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA

SDS-PAGE



Activity



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA